		WA	ATER WELL RE	CORD	Form WWC-5	KSA 82a	·1212 I	D No						
1 LOCATION OF WATER WELL: Fraction					Section Number			Township I	Range Number					
County: P	ratt		SW 1/2	NW	1/4 NW	1/4	3		T Ž	<b>8</b> s	R	13	E(W)	
		rom nearest to	wn or city street									, -		
Beh	ind 21	5 S Ninn	nescah &/	or be	hind 12	0 E Thi	rd; F	ratt	, KS					
	WELL OW		les Bank											
RR#. St. Ad	dress, Box		Box B						Board of A	Agriculture, D	ivision of	Water Re	esources	
City, State,	ZIP Code	: Prat	t, KS 67	7124					Applicatio	n Number:				
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLET	ED WELL1.	4.8	ft. ELI	EVATIO	N:					
	SECTION		Depth(s) Grou	ndwater E	ncountered	1		ft. 2		ft. 3	<u></u>		ft.	
	N		WELL'S STAT	IC WATER	LEVEL49	. <b>೯.ವ</b> ft. bel	ow land su	ırface m	easured on m	ت no/day/yr	5/	:CS		
	1 .				ta: Well wate									
<b>X</b> .	-NW	- NE	Est. Yield WELL WATER			er was Public water			Air conditionir		umping jection w		gpm	
	1	·	1 Domesti		edlot 6	Oil field water	r supply	9	Dewatering	12 O	ther (Spe	cify belov	w) .	
w		¦ E	2 Irrigation	4 Inc	dustrial 7	Domestic (la	wn & garde	en) (10)	Monitoring we	ell				
	-sw -	- SE	Was a chemic	al/bacterio	logical sample	submitted to	Departme	nt? Yes	NoX	; If yes, m	o/day/yrs	sample	was sub-	
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample we mitted Water Well Disinfected? Yes No 2														
5 TYPE C		ASING USED:		5 Wroug	aht iron	8 Concr	ete tile		CASING J	DINTS: Glue	d	Clamped		
Stee	l	3 RMP (S			stos-Cement		(specify be	elow)	07.0					
(2) VC		4 ABS	•	7 Fiber										
Blank casir	ng diameter	2	in. to	108	ft., Dia		in. to		ft., D	ia	in	ı. to:	ft.	
Casing heigh	ght above la	nd surface3.4	1	in., w	/eight			lbs	./ft. Wall thick	ness or guag	e No <b>s</b>	ch4.(	)	
TYPE OF S	SCREEN OF	PERFORATION				(7)				sbestos-Cem				
1 Steel 3 Stainless Steel				5 Fiberglass 6 Concrete tile			8 RMP (SR)							
2 Bras		4 Galvaniz		6 Conci	rete tile	9 AE	55		12 N	one used (op	,			
		ATION OPENI				zed wrapped			Saw cut		11 None	e (open h	ole)	
	tinuous slot		Mill slot 010		6 Wire	wrapped			Drilled holes Other (spec				ft	
	ered shutter		ey punched	•					` '	• /				
SCREEN-F	PERFORATE	D INTERVALS	: From1.0.3	3	ft. to ft. to	.1.48	ft., F	rom		ft. to			ft.	
(	SRAVEL PAG	CK INTERVALS			ft. to									
	in h	_			ft. to									
	10/2						-							
	T MATERIA		it cement		ment grout	_	tonite		ther					
			ft. to		, From	ft.								
			contamination:					ivestock	•		bandone		ell	
1 Septic tank 4 Lateral lines					7 Pit privy		11 Fuel storage							
•						lagoon	12 Fertilizer storage 16 Other (specify be Parking Lot						v)	
	-	rlines 6 Seep	page pit	ď	13 In	secticid	e storage							
Direction fr								many fe	et? Imme					
FROM	ТО		LITHOLOGI	C LOG		FROM	ТО	100		UGGING IN	TERVALS	<del></del>		
0		Clay				148	74		/20 San		<u> </u>			
65	7.5		ay, most		ne sand	74	3		/8 Bent			5		
75	95		nedium s			3	0	Be	ntonite	Crumb	res			
95			nd & con		ravel									
110	120		& tan cl	ay										
120	130	Tan cla												
130	148	Red sha	re w/ sn	ow of	gray									
													<u> </u>	
												-		
								-						
												-		
7														
△ CONTR.	ACTOR'S O	R LANDOWNE	R'S CERTIFICA	ATION: Thi	s water well w	/as((1))constr	ucted, (2)	reconst	ructed, or (3)	plugged und	ler my jui	isdiction	and was	
			105											
			665			r Well Record	was comp			<u> </u>	5	//		
			Well En					by (sigr		win	2/1			
INSTRUCT	TONS: Use type	writer or ball point pe	en. <i>PLEASE PRESS</i> ection, 1000 SW Jack	FIRMLY and F	PRINT clearly. Pleas	se fill in blanks, un	derline or circ	le the corr	ect answers, Send	top three copies	to Kansas D	epartment o	f Health	
		ach <u>constructed</u> well		son st., suite	-LU, TUPEKA, NARS	ao 00012-1307. It	epilone 765-	230-3522.	Gend One-to WAT	LIT VVELL OVVINE	.rt and retail	one for you		