WATER WELL RECORD	Form WWC-5	Division of W	/ater Resources; App. No. L		
1 LOCATION OF WATER WELL: County:	Fraction VE 1/4 P	Section Number	Township Number T S	Range Number R	
Distance and direction from nearest town or	city street address of well	if Global Position	ning Systems (decimal de		
located within city?			Latitude:		
2 WATER WELL OWNER: LOND'SH MCOllum RR# St. Address. Box #			Longitude:		
		Datum:	Elevation:		
City, State, ZIP Code : Ded ++	KG MPLETED WELL//		on Method:		
3 LOCATE WELL'S 4 DEPTH OF COM	MPLETED WELL	8			
LOCATION	•				
WITH AN "X" IN Depth(s) Groundwate	er Encountered (1)	ft. (2)	ft. (3).	9-12-1	
SECTION BOX: WELL'S STATIC W	VATER LEVELta: Well water was	f At. below land surf	ace measured on mo/day	//yr. [/.//	
Tump test da	om: Well water was				
Est. Yieldgr WELL WATER TO	BE USED AS: 5 Public seedlot 6 Oil field w	water supply 8 A	Air conditioning 11 Inj	ection well	
W Domestic 3 Fe	eedlot 6 Oil field w	ater supply 9 I	Dewatering 12 Ot	ther (Specify below)	
	ndustrial 7 Domestic (				
SW SE Was a chemical/bact	eriological sample submitted	ted to Denartment? Y	es No X	If ves. mo/day/yrs	
Sample was submittee	ed	Water well disinfecte	ed? Yes No		
S			•		
5 TYPE OF CASING USED: 5 Wrough	nt Iron 8 Concret	te tile CAS	ING JOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbesto 2 PVC 4 ABS 7 Fibergla	os-Cement 9 Other (s	pecify below)	Welded		
Blank casing diameter	ISS		Threaded	i	
Casing height above land surface	in Weight	O in, to	II., Diameterthickness or mage No.	ın. to	
TYPE OF SCREEN OR PERFORATION MAT	TERIAL:	#105./1t. Wall	unickness of guage ivo.	••••••	
1 Steel 3 Stainless Steel 5 Fib	erglass X7 PVC				
	ncrete tile / 8 RM (SR)	10 Asbestos-Cemer	nt 12 None used (open	n hole)	
SCREEN OR PERFORATION OPENINGS AF 1 Continuous slot 3 Mill slot 5		ah aut O Deillad ha	las 11 None (anon h	no.10)	
2 Louvered shutter 4 Key nunched 6	Wire.wrapped / Toro	cn cut 9 Drilled no ≽Cut 10 Other (spe	res II None (open n ecify)	iole)	
2 Louvered shutter 4 Key punched 6 SCREEN-PERFORATED INTERVALS: From	1 ft. to	ft., From	ft. to	ft.	
Fron GRAVEL PACK INTERVALS: Fron	n ft. to	ft., From	ı ft. to	ft.	
GRAVEL PACK INTERVALS: From	n <b>.lld</b> ft. to . <b>4.4</b> n ft. to	ft., From	1	ft.	
6 GROUT MATERIAL: Neat cement	2 Cement grout 3 Bento	onite 4 Other			
	ft., From	ft. to	ft., From	ft. toft.	
What is the nearest source of possible contamin  1 Septic tank  4 Lateral lines		Livestock nans 12	Insecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool	2 7		Abandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit		2	Oil well/gas well	K2Hhing	
Direction from well?	Но	w many feet?			
FROM TO LITHOLOG	IÇ LOG I	FROM TO	PLUGGING INT	ERVALS	
O 3, Clay Top So;	J=14.				
3 10 Can Sand	Fire				
40 30 Fresch					
50 90 Coakse Sano	1,		A 100 12 A 100 10 A 100		
90 118 Sugil 6R90	re)				
7 CONTRACTOR'S OR LANDOWNER'S	TERTIFICATION. This	water well was Alico	nstructed (2) reconstruct	ted. or (3) nlugged	
7 CONTRACTOR'S OR LANDOWNER'S Of under my jurisdiction and was completed on (xi)	(o/day/year) 1-17-0	and this record is tr	ue to the best of my kne	whedge and belief.	
Kansas Water Well Contractor's License No.	This Water W	ell Record was comple	eted on (mo/day/year)	1-17-07	
under the business name of Dowy	Casel We		MYM		
INSTRUCTIONS: Use typewriter or ball point pen. PLI three copies to Kansas Department of Health and Environn	EASE PRESS FIRMLY and <u>PRII</u> nent. Bureau of Water Geology	VT clearly. Please fill in Section, 1000 SW Jackson	this, underline of circle the cost Suite 420. Toneka Kansas	orrect answers. Send top 66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OW					
http://www.kdheks.gov/waterwell/index.html.					