Street Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: Latitude: Line Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: Latitude: Line Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: Latitude: Line Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: Latitude: Line Location; ind decimal degrees Longitude: Longitu
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude:
from nearest town or intersection: If at owner's address, check here Latitude:
Longitude: Cind decimal degrees
Elevation: Collection Method: Collection Meth
Datum: D
WATER WELL OWNER Former Tom's Service RR#, Street Address, Box #: 101 Main Street D1 Main Street D2 Main Street D1 Main Street D2 Main Street D1 Main Street
RR#, Street Address, Box #: 101 Main Street City, State, ZIP Code GPS unit (Make/Model:
City, State, ZIP Code Pratt. KS 67124
Stock Stoc
WITH AN "X" IN SECTION BOX: N
Depth(s) Groundwater Encountered (1) -50 ft. (2) ft. (3) ft.
WELL'S STATIC WATER LEVEL. 49.48. ft. below land surface measured on mo/day/yr. Pump test data: Well water was. ft. after. hours pumping. gpm
Pump test data: Well water was
STYPE OF CASING USED: Steel Domestic Other Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel Domestic Steel Stainless Steel Domestic Steel Stainless Steel Sta
W
WELL WATER TO BE USED AS:
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW 7. Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No No No No No No STYPE OF CASING USED: Steel PVC Other Ot
Irrigation Industrial Domestic-lawn & garden Monitoring well MW.7.
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted
S
Water well disinfected? Yes No S TYPE OF CASING USED: Steel PVC Other
CASING JOINTS:
CASING JOINTS:
Casing diameter .2
Casing height above land surface 2.64 in., Weight lbs./ft., Wall thickness or gauge No Sch. 40.PVC TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 39.5 ft. to 59.5' ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 37 ft. to 60 ft., From ft. to ft. From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to 37 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 39.5. ft. to .59.5. ft., From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From .37. ft. to .60. ft., From ft. to ft. From ft. to ft., From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .1 ft. to .37. ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Seware lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site
Steel Stainless Steel ✓ PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 99.5 ft. to 59.5 ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 97.5 ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 97.5 ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 97.5 ft. to 69.5 ft., From ft. to ft. Grout Intervals: From. 1. <t< td=""></t<>
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 39.5 ft. to 59.5'. ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 37 ft. to 60 ft., From ft. to ft. Other Grout Intervals: From 1 ft. to 37 ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Oil well/gas well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From. 39.5 ft. to .59.5' ft., From ft. to ft. From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 37. ft. to ft. to ft., From ft. to ft. to ft.
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)
SCREEN-PERFORATED INTERVALS: From 39.5 ft. to 59.5' ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 37 ft. to 60 ft., From ft. to ft. From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Entervals: From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site
From
GRAVEL PACK INTERVALS: From37
From
GROUT MATERIAL:
Grout Intervals: From .1
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site ☐ Cesspool ☐ Cesspool ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Cesspool ☐ Cesspool ☐ Feedyard ☐ Feedyard ☐ Feedyard ☐ Cesspool
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site
Control of the Contro
Direction from well Distance from well Distance from well TO LITHOLOGICAL DE PROMETER LA LITHOLOGICAL DE PROMETER LA LITHOLOGICA
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 1 Crushed rock
1 2 Clay, silty
2 20 Clay, silty 20 32 Silt, clayey
32 35 Sand, clayey MW7 35 39 Sand, very fine to coarse
39 48 Silt, clayey
48 60 San Very fine to medium
TO OU CAN FOLY INIC TO THOUGHT
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged
under my jurisdiction and was completed on (mo/day/year) .10/1.5/2009 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) .12/21/2009
under the business name of .Coranço Great Plains, Inc. by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks and cleck the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.
THE TOP ON SEAL COLD IN A WATER WELL OWNER and assistance for any to the form of the cold
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.