WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources; App. No.		
1 LOCATION OF WATER WELL: County:	Fraction VE1/4 SE1/4	Section Number	Township Number S	Range Number R E/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)					
located within city? Sworth	H K5	T			
2 WATER WELL OWNER: Latt	ivsigston "	Elevation:			
RR#, St. Address, Box #	5-56 2014 AU	Datum:			
City, State, ZIP Code :	1 8167/19	Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF CO	MPLETED WELL J. 25	<b>!</b> ft.			
LOCATION			2 (2)		
WITH AN "X" IN Depth(s) Groundwa	AN "X" IN Depth(s) Groundwater Encountered (1)				
SECTION BOX: WELL'S STATIC  N  Pump test of	WELL'S STATIC WATER LEVEL				
Est. Yieldgpm: Well water wasft. after					
	O BE USED AS: 5 Public wate				
		supply 9 Dev		ner (Specify below)	
Irrigation 4	Industrial 7 Domestic (lawr	& garden) 10 Mon	nitoring well		
SW SE					
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted					
Sample was submit	tted wa	ter well disinfected?	165 NO	•••	
	1.1	CASDI	G IODITG CL 1	<u>Cl. 1</u>	
5 TYPE OF CASING USED: 5 Wroug	tos-Cement 8 Concrete tile 9 Other (speci		G JOINTS: Glued.	Clamped	
1 Steel 3 RMP (SR) 6 Asbes 2 PVC 4 ABS // 7 Fiberg			Threaded		
Blank casing diameter in to	20 ft. Diameter.	∍in to ft.	Diameter	in toft.	
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Wall thickness or guage No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)					
		Asbestos-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:  X1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Gut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
Fro	om ft. to	ft., From	ft, to	ft.	
Fro GRAVEL PACK INTERVALS: Fro	om ft. to 9	ft., From	ft. to	ft.	
From					
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout ABentonite	4 Other			
Grout Intervals: From 90 ft. to	ft., From	ft. to f	t From	ft. to ft.	
What is the nearest source of possible contami			,		
		stock pens 13 In	secticide Storage	16 Other (specify	
Sewer lines 5 Cess pool	8 Sewage lagoon 11 Fuel		bandoned water well	below)	
3 Watertight sewer lines 6 Seepage p		lizer Storage 15.0			
Direction from well?		any feet?	PLUGGING INT	EDVALC	
FROM TO LITHOLO	GIC LOG FRO	M TO	PLUGGING IN 11	ERVALS	
2 10 1, 1 in Chi	<i>S. j</i>				
14 80 Fine Square	HAN				
	que)				
				0.00	
				× - 1. 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1	
# CONTRACTORIC OR LANDOWNERS	CEDTIFICATION TIE			. 1 (2) . 1 1	
7 CONTRACTOR'S OR LANDOWNER'S under my jurisdiction and was completed on (	mer/day/year)	er well was ( const	ructed, (2) reconstruct to the best of my kngw	ea, or (3) plugged	
Kansas Water Well Contractor's License No.				I- T-10	
under the business name of		by (signature)	HY MANY	······j···j·····p·· <del>····</del> ····	
INSTRUCTIONS: Use typewriter or ball point pen. F.	LEASE PRESS FIRMLY and PRINT cle	early. Please fill in Japan	s underline of circle the c	rrect answers. Send top	
three copies to Kansas Department of Health and Enviro	nment, Bureau of Water, Geology Section	on, 1000 SW Jackson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephone	

http://www.kdheks.gov/waterwell/index.html.