WATER WELL RECORD		Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Pratt		Fraction SW ¼ NW ¼ NW	/ ½ NW ½	Section Number Township No. Range Number	
Street/Rural Address of Well Location; if unknown, distance & direct				Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)		
101 North Main, Pratt, KS 67124			Longitude: (in decimal degrees)		
10 1 10 tat main, 1 tau, 10 07 124			Elevation:		
2 WATER WELL OWNER: Former Tom's Service			— <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
Torrier		Tom's Service		Collection Method:	
RR#, Street Address, Box #: 101 Nor City, State, ZIP Code : Prott KS				GPS unit (Make/Model:)	
City, State, Zii Code	: Pratt, K	67124		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL				<u>Lat. Recardey.</u> [3 m, [3-3 m, [3-13 m, [> 13 m	
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL	L 58.0	ft.	
SECTION BOX:	Depth(s) Ground	water Encountered	$(1) \sim 48.0$	ft (2) ft (3) ft	
N	WELL'S STATI	C WATER LEVEL	18.05'fi	t. below land surface measured on mo/day/yr	
	Pump	test data: Well wate	r was	ft. after hours pumping gpm	
W Bore Hole Diam WELL WATER		gpm. Well water wasft. after hours pumping gpm			
		neterin. toft., andin. toft.			
		TO BE USED AS: Public water supply Geothermal Injection well			
SW SE Domestic Feedlot Oil field			Oil field wat	ter supply Dewatering Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW14					
was a chemical/bacteriological sample submitted to S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected?					
·					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2" in. to .58.0 ft., Diameter in. to ft., Diameter in. to ft.					
Casing height above land surface5.16 in., Weight					
Steel Stainless Steel ✓ PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From38 ft. to58 ft., From ft. to ft.					
From					
GRAVEL PACK INTERVALS: From					
From					
Grout Intervals: From .1					
What is the nearest source of possible contamination:					
Septic tank					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site					
Direction from well				e from well	
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 1 Asphal					
1 15 Clay, si		******			
15 21 Silt, cla			-		
21 27 Clay, s					
27 40 Sand, o				MW14	
40 47 Clay, s					
47 50 Sand, o		1100			
50 58 Sand, v	very fine to med	uni			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .1.1/0.2/1.0 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 12/08/2010					
under the business name of . Coranco Great Plains, Inc					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdbeks.gov/waterwell/index.html					
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Dink Copy					
12017 020-1212				Check: White Copy, Blue Copy, Pink Cop	