WATEI	R WELL I	RECORD	Form WW	C-5	Divisio	on of Water	r Resources App. N	0.	
	ATION OF ty: Pratt	WATER WELL:	Fraction SE 1/4 SE 1/4 NE 1/4	1	Section N	Number	Township No. T 28 S		
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here .					Latitude: .37,63554(in decimal degrees)			
916	916 South Main, Pratt, KS 67124				Longitude: 98.74065 (in decimal degrees)				
2 WAT	TER WELL	OWNER: Kanza (Cooperative Association				4, □ NAD 83, □	J NAD 27	
	RR#, Street Address, Box #: 916 S. Main				Collection Method: GPS unit (Make/Model:)				
	City, State, ZIP Code : Pratt, KS 67124				☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
			0 0 ,		Est. Accu	racy: 🗌 <	3 m, 🗌 3-5 m, 🗀] 5-15 m,	
	40.00								
	ITH AN "X" IN 4 DEPTH OF COMPLETED WELL 19.00 ft. CCTION BOX: Depth(s) Groundwater Encountered (1).~10 ft. (2)								
Discr	N WELL'S STATIC WATER LEVEL11.89ft. below land surface measured on mo/day/yr.9-2111								
	Pump test data: Well water was								
NXX	EST. YIELDgpm. Well water was								
W	W E Bore Hole Diameterin. toft., andin. toft.								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
SW	SWSE-X Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted									
S If yes, mo/day/yr sample was submitted									
water well districted: 125 kg 140									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2									
Casing height above land surface0.42 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 9 ft. to 19 ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From7									
			From ft.	to	f	t., From	ft	. to ft.	
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout In				I	t. to	It.,	, From	It. toIt.	
wnat is	the nearest s Septic tank	ource of possible cont		Livestock pe	eng 🗆	l Insecticida	e storage 🔽 Ot	ther (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
	Watertight se			Fertilizer sto] Oil well/g		t Site	
FROM		LITHOLOG	JIC LOG	FROM	TO	LITHO. L	OG (cont.) or PL	UGGING INTERVALS	
0		op Soil							
1		ay, sandy							
11	19 58	and, very fine to fine							
	-					NAV	V54		
						IVIV	¥ O ¬		
		1							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .08/1.7/20.1.1 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/xear)/1/1-1-2011									
under the business name ofCoranco Great Plains, Inc									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a	a-1212				Che	ck: 🔲 W	/hite Copy, 🔲 E	Blue Copy, L Pink Copy	