

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Pratt	Fraction NW 1/4 S 1/4 SW 1/4	Section number 4	Township number 28	Range number 13
2. Distance and direction from nearest town or city: Street address of well location if in city: 511 W. Tenth			3. Owner of well: Jerry Davis R.R. or street: 511 W. Tenth City, state, zip code: Pratt, Kansas 67124			
4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W 1 Mile E S</div>			Sketch map: <div style="text-align: center;">NW NE SW SE X</div>			
5. Type and color of material			From	To	6. Bore hole dia. 10 in. Completion date 4-20-81 Well depth 72 ft.	
earth			0	6	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
brown clay			6	15	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input checked="" type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
fine brown sand			15	27	9. Casing: Material plastic Height: 14 ft. above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 160 lbs./ft. Dia. 5 in. to 72 ft. depth Wall Thickness: inches or Dia. 5 in. to 72 ft. depth gage No SDR 26	
yellow clay			27	43	10. Screen: Manufacturer's name Lone Star Type SDR 26 Dia. 5" Slot/gauze 1/16 Length 10' Set between 62 ft. and 72 ft. ft. and ft. Gravel pack? yes Size range of material 1/8x3/8	
brown sandy clay			43	53	11. Static water level: 30 ft. below land surface Date 4-20-81 mo./day/yr.	
fine brown sand			53	60	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 100 g.p.m.	
coarse sand			60	72	13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
					14. Well head completion: pump grouted at base <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade	
					15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 2 ft. to 12 ft.	
					16. Nearest source of possible contamination: ft. 100 Direction North Type S.S.* Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
					17. Pump: Sears Roebuck Manufacturer's name Sears Roebuck Model number 1 HP 1 Volts 230 Length of drop pipe 46 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
					(Use a second sheet if needed)	
18. Elevation:		19. Remarks: * Sanitary Sewer		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hank Bruse W.W. SERV 103 Business name 117 Stout License No. Address 117 Stout Signed Hank Bruse Dated 4-17-81 Authorized representative		
Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5