	TER WELL: TT	Fraction	1/4 SW 1/4	NW 1/4	ection Number 8	Township Number	Range Number
ounty: PRA	from nearest tov		address of well if loo			1 0	
1MI wes	t ½ mi so	$\frac{1}{2}$ mi w. of	Pratt				
WATER WELL OW	VNER:	John Allm	200				
R#, St. Address, Bo	× # :					Board of Agricultur	e, Division of Water Resource
y, State, ZIP Code	:		k ns. 67124			Application Number	
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	105'	ft. ELEVAT	ION: Hill	
AN "X" IN SECTIO	N BOX:						t. 3
<u> </u>							/yr May 15-87
NW	NE		•				pumping gpm
							pumping gpm
w <b>x</b>	£ .						.in. to
"   !	!   [		TO BE USED AS:			3 Air conditioning	•
sw	SE	1 Domesti				•	12 Other (Specify below)
1	ī	2 Irrigation					
	<u> </u>		al/bacteriological sam <sub> </sub>	ple submitted to I	•		res, mo/day/yr sample was sub
	<u> </u>	mitted				er Well Disinfected? Yes	
TYPE OF BLANK		_,	5 Wrought iron		rete tile		ued .XClamped
1 Steel	•	R)			r (specify below)		elded
	4 ABS	051					readed
							in. to ft. No SDR 26
			in., weight				
PE OF SCREEN O			E Eibaralaaa		AC XX	10 Asbestos-ce	
1 Steel	3 Stainless		5 Fiberglass				ify)
2 Brass REEN OR PERFO		red steel		9 A		12 None used	(open noie) 11 None (open hole)
1 Continuous sid		lill slot		/ire wrapped			i i None (open noie)
2 Louvered shut		ey punched		orch cut		9 Drilled holes	
REEN-PERFORAT							t. toft.
ALEN-FERI ORA	ED INTERVALS.						
				Δ	ft From	· • • • • • • • • • • • • • • • • • • •	t to #
GRAVEL PA	CK INTERVALS:						
GRAVEL PA	CK INTERVALS:			o <b>32</b> ! .	ft., From	f	t. toft. t. toft. t. to ft.
		From 1	0.5.*	o <b>32</b> ! .	ft., From ft., From	.i f	t. to
GROUT MATERIAL	L: 1 Neat	From 1 From cement	05!	o 32! . o	ft., From	f Dther	t. to
GROUT MATERIAL	.: 1 Neat o	From1 From cement .ft. to48	Q 5 ft. t ft. t 2 Cement grout X	o 32! . o	ft., From	otherft., From	t. to
GROUT MATERIAL out Intervals: Fro	.: 1 Neat of m 23	From 1 From cement .ft. to 4.8 contamination:	Q 5 ft. t ft. t 2 Cement grout X	o	to	Other	t. to
GROUT MATERIAL out Intervals: Fro	.: 1 Neat of m 23	From 1. From  cement .ft. to 4.8 contamination: ral lines	Q5 ft. t ft. t 2 Cement grout X ft., From	o 32† . co ft.	to	Other	t. to
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines	.: 1 Neat of m 23	From 1. From cement .ft. to 4.8 contamination: ral lines	Q5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy	o	to	Other	t. to
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sew ection from well?	.: 1 Neat of m 23	From 1. From cement .ft. to 4.8 contamination: ral lines s pool page pit	Q5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	Other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sew ection from well? ROM TO	.: 1 Neat of m 23	From	Q5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?	n 23	From	Q5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO  7 18	in Neat of m 23	From	Q 5 ft. tt  ft. t  2 Cement grout X  ft., From .  7 Pit privy  8 Sewage  9 Feedyard  C LOG	o	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sew ection from well?  ROM TO 7' 7' 18' 18' 39'	in Neat of m 23	From	Q 5 ft. t  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG	o	to	other	t. to
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sew ection from well?  ROM TO 7' 7' 18' 18' 39' 46'	.: 1 Neat of m 23	From	Q 5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	other	t. to
GROUT MATERIAL put Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 0 7' 7' 18' 18' 39' 46' 46' 60'	in 1 Neat of m 23	From	Q 5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	other	t. to
GROUT MATERIAL out Intervals: Fromat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewer section from well?  ROM TO 0 7' 7' 18' 18' 39' 46' 46' 60' 50' 79'	.: 1 Neat of m 23	From 1.  From	Q 5 ft. t ft. t 2 Cement grout X ft., From 7 Pit privy 8 Sewage 9 Feedyard	o	to	other	t. to
GROUT MATERIAL out Intervals: From the is the nearest so a section from well?  The image of the	in 1 Neat of m	From	Q 5 ft. tt	o	to	other	t. to
GROUT MATERIAL put Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 0 7' 7' 18' 18' 39' 46' 46' 60' 60' 79' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 7' 18' 18' 39' 46' 46' 60' 60' 79' 86'	in Neat of m	From	Q 5 ft. tt	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 7' 18' 18' 39' 46' 46' 60' 60' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL put Intervals: Fro at is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 7' 18' 18' 39' 46' 46' 60' 60' 79' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL put Intervals: Fro lat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 18' 18' 39' 46' 46' 60' 60' 79' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL put Intervals: Fro lat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 7' 18' 18' 39' 46' 46' 60' 60' 79' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL put Intervals: Fro lat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well?  ROM TO 7' 18' 18' 39' 46' 46' 60' 60' 79' 79' 86'	in Neat of m	From	Q 5 ft. tt  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )	o 32! o CX 3 Bent ft.	to	other	t. to
GROUT MATERIAL out Intervals: Fromat is the nearest so a Septic tank X: 2 Sewer lines 3 Watertight sewerection from well?  ROM TO 7' 7' 18' 18' 39' 39' 46' 46' 60' 50' 79' 86' 86' 105'	in Neat of m	From	Q5 ft. t  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )  Le gravel h Cement plug	o 32! o CX 3 Bent ft.	to	Other	t. to
GROUT MATERIAL out Intervals: Fromat is the nearest so a Septic tank X: 2 Sewer lines 3 Watertight sewerection from well?  FROM TO 7' 7' 18' 18' 39' 46' 46' 60' 79' 86' 86' 105'  CONTRACTOR'S CONTRACT	in Neat of m	From	Q5 ft. t  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  )  Le gravel h Cement plug	o 32! o CX 3 Bent ft. lagoon d FROM	to	other	t. to
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well? ROM TO 0' 7' 18' 39' 46' 46' 60' 79' 86' 36' 105'  CONTRACTOR'S onpleted on (mo/day)	in Neat of m	From 1 From 148 cement 48 contamination: ral lines spool lage pit  LITHOLOGIC  Lay w/ lim Sand ( dry Lay Lay Lay Lay Lay Lay Lay Lay Lay La	Q5 ft. t  ft. t  2 Cement grout X  7 Pit privy 8 Sewage 9 Feedyard C LOG  e  1)	o 32! o CX 3 Bent ft. lagoon d FROM	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest sc 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well? ROM TO 0' 7' 7' 18' 18' 39' 46' 60' 79' 86' 36' 105'  CONTRACTOR'S onleted on (mo/day ter Well Contractor)	in Neat of m. 23  ource of possible x 4 Later 5 Cess of lines 6 Seep N.W.  Top Soil Clay White Clay White Clay Brown Clay Brown Clay Gourse Scasing Fine san Gourse Fine San Gourse Fine Fine San Gourse Fine Fine San Gourse Fine Fine San Gourse Fine Fine Fine Fine Fine Fine Fine Fin	From	Q5 ft. t	o 32! o CX 3 Bent ft. lagoon d FROM	to	other	t. to
GROUT MATERIAL out Intervals: Fro at is the nearest sc 1 Septic tank X: 2 Sewer lines 3 Watertight sewection from well? ROM TO 0' 7' 7' 18' 18' 39' 46' 60' 60' 79' 86' 36' 105'  CONTRACTOR'S outpleted on (mo/day ter Well Contractor ler the business na	in Neat of m	From . 1 From  cement .ft. to	Q5 ft. t	o 32! o CX 3 Bent ft. lagoon d FROM	to	other	t. to