

<b>1 LOCATION OF WATER WELL:</b>		Fraction	Section Number	Township Number	Range Number
County: Pratt		NE ¼ NW ¼ NW ¼	8	T 28 S	R 13 E W
Distance and direction from nearest town or city street address of well if located within city? 1.84 West, 200' South from Jct. 281 & 64 South edge of Pratt, Kansas					
<b>2 WATER WELL OWNER:</b> Laurence Dortsch					
RR#, St. Address, Box # : Rt. 4		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Pratt, Kansas 67124		Application Number:			
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b>	<b>4 DEPTH OF COMPLETED WELL:</b> 115 ft. <b>ELEVATION:</b> 25 Sept. 84				
<p>1 Mile W E S</p>	Depth(s) Groundwater Encountered 1. 50 ft. 2. .ft. 3. .ft.				
	WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr				
	Pump test data: Well water was .ft. after . hours pumping gpm				
	Est. Yield 100 gpm: Well water was .ft. after . hours pumping gpm				
	Bore Hole Diameter .10 in. to .115 ft., and .in. to .ft.				
<b>WELL WATER TO BE USED AS:</b> 5 Public water supply 8 Air conditioning 11 Injection well ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well					
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
<b>5 TYPE OF BLANK CASING USED:</b>					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped	
② PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded	
Blank casing diameter .5 in. to .85 ft., Dia .in. to .ft., Dia .in. to .ft.					
Casing height above land surface .12 in., weight 2.34 lbs./ft. Wall thickness or gauge No. 214					
<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b>					
1 Steel 3 Stainless steel 5 Fiberglass ⑦ PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
		12 None used (open hole)			
<b>SCREEN OR PERFORATION OPENINGS ARE:</b>					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped ⑧ Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
		10 Other (specify)			
<b>SCREEN-PERFORATED INTERVALS:</b> From .85 ft. to .115 ft., From .ft. to .ft.					
From .ft. to .ft., From .ft. to .ft.					
<b>GRAVEL PACK INTERVALS:</b> From .14 ft. to .115 ft., From .ft. to .ft.					
From .ft. to .ft., From .ft. to .ft.					
<b>6 GROUT MATERIAL:</b> 1 Neat cement ② Cement grout 3 Bentonite 4 Other					
Grout Intervals: From .4 ft. to .14 ft., From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:					
① Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
Direction from well? 110' NE of well		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Soil, top			
2	7	Sand, fine to coarse			
7	48	Clay, tan and white			
48	78	Sand, fine to coarse and fine to med gravel			
78	114	Sand, coarse and coarse gravel			
114	120	Clay, tan and red			
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12 March 85 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 325 This Water Well Record was completed on (mo/day/yr) 3 June 85					
under the business name of Central Well & Pump Inc. by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					