		+	WELL RECORD	_	KSA 82			1
LOCATION OF W		Fraction		I	tion Number	·		Range Number
ounty: DE	on from nearest town	SB 1/4	NE 14 NE	within city?	9_	T 7	8 s	R /3 EM
stance and direction	11 -	•	. 1	a within city?				
		1	Tiks					
WATER WELL C	· ·	Younkman				Doord of	A!	Divinion of Mater Deserve
R#, St. Address, E		_					-	Division of Water Resour
ity, State, ZIP Cod	Pratt.	Kansas 6'	7124	05		Applicati	on Number:	
LOCATE WELL'S AN "X" IN SECTI	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	7.3	. ft. ELEV	ATION:		
AN X 111 02011	N { De							3
	! W							Jan 24 8
NW	NE -X							mping gp
l ï								ımping gp
: w			, -					. to
w <u>!</u>	1 1 1	ELL WATER TO		5 Public water		8 Air conditioning		Injection well
sw _	_ se	① Domestic		6 Oil field wat		-		Other (Specify below)
1		2 Irrigation		_		10 Observation		
	l w	as a chemical/ba	cteriological sample s	submitted to De	-		_	, mo/day/yr sample was s
		itted				ater Well Disinfed		
TYPE OF BLANK	_		5 Wrought iron	8 Concre				dX Clamped
1 Steel	3 RMP (SR)				specify belo	•		led
2 PVC	← 4 ABS		7 Fiberglass					aded
	er 🚙 in.							in. to
			n., weight			./ft. Wall thicknes	s or gauge N	lo • 2.1.4 .
YPE OF SCREEN	OR PERFORATION N			7 PV	_		sbestos-ceme	
1 Steel	3 Stainless st	teel	5 Fiberglass	∕® RM				
2 Brass	4 Galvanized	steel	6 Concrete tile	9 ABS	3	_	one used (op	•
CREEN OR PERF	ORATION OPENINGS	S ARE:	5 Gauze	ed wrapped		8)Saw cut		11 None (open hole)
1 Continuous	slot 3 Mill s	slot		wrapped		9 Drilled hole		
2 Louvered sh	utter 4 Key	punched	7 Torch	cut A		10 Other (spec	;ify)	t o
CREEN-PERFORA	TED INTERVALS:	C						
	TED INTERIORES.							
	TED INTERVALS.	From	ft. to		ft., Fro	om	ft. t	to
	PACK INTERVALS:	From	ft. to		ft., Fro	om	ft. t	
	PACK INTERVALS:	FromFrom	ft. to	95	ft., Fro ft., Fro ft., Fro	om	ft. 1 ft. 1 ft. 1	to
GRAVEL F	PACK INTERVALS:	From	ft. to	95 3 Bento	ft., Fro ft., Fro ft., Fro nite 4	om	ft. t	to
GRAVEL F	PACK INTERVALS:	From	ft. to	95 3 Bento	ft., Fro ft., Fro ft., Fro nite 4	om	ft. t	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest	PACK INTERVALS:	FromFrompnent 2 to 14	ft. to	95 3 Bento	ft., Fro ft., Fro ft., Fro nite 4	om	ft. 1	to
GRAVEL F GROUT MATERI Grout Intervals: F	PACK INTERVALS: AL: Pack Centromft.	FromFroment 2 to 14 notamination:	ft. to	95 3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om	ft. 1	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest	PACK INTERVALS: AL: Pack of Neat center formft. Source of possible columns	FromFroment 2 to 14 2 to 14 14 14 14 14 14 14 14 14 14 14 14 14	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From	95 3 Bento	ft., Front,	om	ft. 1 ft. 1 ft. 1	tototototototototo
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines	PACK INTERVALS: AL: Pack of Neat centrom	FromFromProm	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout ft., From	95 3 Bento	ft., From tt., F	om	ft. 1 ft. 1 14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight s	PACK INTERVALS: AL: Pack of Neat center form. A. ft. source of possible content for the source of t	From	ft. to ft. pit. privy 8 Sewage lago 9 Feedyard	95 3 Bento	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight s	PACK INTERVALS: AL: Pack of Neat center form	FromFromProm	ft. to ft. pit. privy 8 Sewage lago 9 Feedyard	95 3 Bento	ft., From tt., F	om	ft. 1 ft. 1 14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2	PACK INTERVALS: AL: Pack of Neat centrom. 1. ft. source of possible contained to the source of	From	ft. to ft. pit. privy 8 Sewage lago 9 Feedyard	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15	PACK INTERVALS: AL: Pack of Neat centrom. A ft. source of possible contained to the source of the s	From	ft. to ft. pit. privy 8 Sewage lago 9 Feedyard	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 15 15 20	PACK INTERVALS: AL: Pack of Possible continued in the source of p	FromFrom2 to 14	ft. to ft. pit. privy 8 Sewage lago 9 Feedyard	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 15 15 20 20 35	PACK INTERVALS: AL: Pack of Neat center of the Source of possible content of the Source of the	FromFromProm	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	95 3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 2 15 2 15 20 35 55	PACK INTERVALS: AL: Pack of Neat centrom. A	From	ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard DG and fine grav	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 15 15 20 20 35	PACK INTERVALS: AL: Pack of Neat centrom. A	From	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 2 15 2 15 20 35 55	PACK INTERVALS: AL: Pack of Neat centrom. A	From	ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard DG and fine grav	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 2 15 2 15 20 35 55	PACK INTERVALS: AL: Pack of Neat centrom. 4ft. Source of possible conduction of Lateral II 5 Cess possible services of Seepage 5 2 Top soil Clay, brown Clay, white Clay, white Sand, fine Sand, fine Sand, fine Sand, fine	From	ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard DG and fine grav	95 3 Bento ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 2 15 15 20 20 35 50 85	PACK INTERVALS: AL: Pack of Neat centrom. It. Source of possible control of Lateral I is to Cess possible control of Clay, brown in Sand, fine is Sand, fine is Sand, fine is Sand, med to gravel, look clay, brown in Clay, brown in Sand, fine is Sand, med to gravel, look clay, brown	From. From Prom Inent Ito 14 Intamination: Ilines Intamination: Intamination: Ilines Intamination:	ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard DG and fine grav	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL: Pack of Neat centrom. It. Source of possible control of Lateral I is to Cess possible control of Clay, brown in Sand, fine is Sand, fine is Sand, fine is Sand, med to gravel, look clay, brown in Clay, brown in Sand, fine is Sand, med to gravel, look clay, brown	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL:	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL:	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL:	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL:	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 2 15 15 20 20 35 50 85	PACK INTERVALS: AL:	From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost	3 Benton ft.	ft., From tt., F	om	14 A 15 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 15 20 35 35 56 50 89 85 87 87 105	PACK INTERVALS: AL: Pack of Neat center form. It. source of possible conduction of the source of the	From	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG and fine grave and med to cost and med to cost and med to cost	3 Benton ft.	ft., From the fit., F	om	14 A 15 C 16 C	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO 0 2 15 20 35 35 50 85 85 87 87 105	PACK INTERVALS: AL:	From. From Prom Prom Prom Prom Prom Prom Prom P	response of the control of the contr	3 Benton ft.	tted, (2) received.	om	14 A 15 C 16 C LITHOLOG	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank Septi	AL: ONeat centrom. A	From. From Prom. From Prom.	response of the control of the contr	3 Benton ft.	tted, (2) recand this red	om	ft. 1	to
GRAVEL F GROUT MATERI Grout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 2 11 15 20 20 39 35 50 50 89 85 87 87 105 CONTRACTOR'S completed on (mo/d Water Well Contract	PACK INTERVALS: AL: Pack of possible conduction of the source o	From. From Prom	response to the coarse of the	3 Benton ft.	tted, (2) recard this reces completed	om	ft. 1	der my jurisdiction and wowledge and belief. Kans
GRAVEL F GROUT MATERI Frout Intervals: F What is the nearest Septic tank 2 Sewer lines 3 Watertight section from well? FROM TO 0 2 15 15 20 20 35 35 50 50 85 85 87 87 105 CONTRACTOR'S completed on (mo/de vater Well Contract noder the business	PACK INTERVALS: AL: Pack of Possible conform. It. Source of possible conform. See Page 1	From. From Prom Prom Inent Ito 14 Intamination: Ines Prom Interior	response of the control of the contr	3 Benton ft.	tted, (2) recard this recess completed by (sign	com	14 A 15 C 16 C 16 C LITHOLOG plugged und best of my kn	der my jurisdiction and wowledge and belief. Kans