

1 LOCATION OF WATER WELL: County: Pratt		Fraction $\frac{1}{4}$ E 1/2 1/4 NW	Section Number 15	Township Number T 28 S	Range Number R 13 EW																																																												
Distance and direction from nearest town or city street address of well if located within city? 1 mile east, 1.7 miles south of Pratt, Kansas																																																																	
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Pratt County 300 S. Ninnescah Pratt, Ks.																																																															
		Board of Agriculture, Division of Water Resources Application Number:																																																															
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 90 ft. ELEVATION: NA																																																															
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 90 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X																																																															
		TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 75 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. sch. 40																																																															
		TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot .010 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)																																																															
		SCREEN-PERFORATED INTERVALS: From 90 ft. to 15 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 90 ft. to 70 ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																															
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 70 ft. to 66(ben) ft., From 66 ft. to 0(cem) ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage landfill Direction from well? How many feet?																																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>10</td> <td>clay, silty, sandy, red</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>39</td> <td>sand, silty, red, fine to coarse</td> <td></td> <td></td> <td></td> </tr> <tr> <td>39</td> <td>43</td> <td>clay, sandy, silty, fine to medium</td> <td></td> <td></td> <td></td> </tr> <tr> <td>43</td> <td>52</td> <td>clay, silty</td> <td></td> <td></td> <td></td> </tr> <tr> <td>52</td> <td>57</td> <td>clay, sandy, red, silty</td> <td></td> <td></td> <td></td> </tr> <tr> <td>57</td> <td>82</td> <td>sand, silty, fine to medium, red</td> <td></td> <td></td> <td></td> </tr> <tr> <td>82</td> <td>90</td> <td>gravel, sandy, saturated</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6" style="height: 100px;"> </td> </tr> <tr> <td colspan="6" style="text-align: center;">MW2</td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	10	clay, silty, sandy, red				10	39	sand, silty, red, fine to coarse				39	43	clay, sandy, silty, fine to medium				43	52	clay, silty				52	57	clay, sandy, red, silty				57	82	sand, silty, fine to medium, red				82	90	gravel, sandy, saturated										MW2					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																												
0	10	clay, silty, sandy, red																																																															
10	39	sand, silty, red, fine to coarse																																																															
39	43	clay, sandy, silty, fine to medium																																																															
43	52	clay, silty																																																															
52	57	clay, sandy, red, silty																																																															
57	82	sand, silty, fine to medium, red																																																															
82	90	gravel, sandy, saturated																																																															
MW2																																																																	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-15-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 01-27-94 under the business name of GeoCore Services, Inc. by (signature) <i>Dol Relf</i>																																																																	