WATE	R WEI	L RECORD	Form	WWC-5	Division of Water	er Resources App. No). L	
		OF WATER WELL:			Section Number	Township No.	Range Number	
County: Reno			1/4 1/4	1/4 NW 1/4		T 26 S	R 4 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
					Elevation:	Elevation: (in decimal degrees)		
					Datum WGS 8	4, □ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: David Dockers						Collection Method:		
RR#, Street Address, Box #: 25909 S. Ravl Rd.					GPS unit (Make/Model:)			
City, State, ZIP Code : Mt Hope, KS 67108					Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120 ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1).60 ft. (2) ft. (3) ft.								
N WELL'S STATIC WATER LEVEL60ft. below land surface measured on mo/day/yr								
	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELD. 8								
W E Bore note Diameter My								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
	S If yes, mo/day/yr sample was submitted							
	1 mile		fected? Yes					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .120 ft., Diameter ft., Diameter ft.,								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 20 ft. to 120 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank								
. =	Sewer li	nes	☐ Sewage lagoo					
	Watertig	ht sewer lines	it 🗌 Feedyard	Fertilizer s			•••••	
		n well .West			from well30.'		CCDIC DEEDWALS	
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil						
20	20 120	Clay Shale	· · · · · · · · · · · · · · · · · · ·					
20	120	Strate						
		· · · · · · · · · · · · · · · · · · ·						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged								
under my jurisdiction and was completed on (mo/day/year) .03/16/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed by (mo/day/year) 03/16/2015								
under th	e busine	Ilea typewriter or hall point ac-	PIFACE PRECE EIR	MI Yand DDINT	Dy (Signature)	s and check the correct	answers Send one convito	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								