WATE	R WEI	L RECORD	Form W	WC-5	Division of Wate	er Resources App. No	,. L	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number	
County: Sedawick			1/4 SE 1/4 NE		30		R 1 ☑ E □W	
Street/Rural Address of Well Location; if unknown, distance & direction						g System (GPS) int		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
						Longitude: (in decimal degrees) Elevation:		
					Datum: D WGS 8	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Jim Thompson					Collection Method:			
RR#, Street Address, Box #: 1827 W. Irving					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Wichita, KS 67213					Digital Map/Pl	noto, 🔲 Topographic	Map, Land Survey	
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m								
	H AN "X"	'IN 4 DEPTH OF	COMPLETED WELL	ft.				
SECT	TION BO	X: Depth(s) Ground	ft. (2)	ft. (3	3) ft.			
SECTION BOX: N Depth(s) Groundwater Encountered (1).10							ıy/yr	
Pump test data: Well water was								
-NW - -NE - EST. YIELD 18gpm. Well water was								
₩ _	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SV	Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department?								
1.	S If yes, mo/day/yr sample was submitted							
Water well disinfected? ₩ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .40 ft., Diameter in. to ft., Diameter ft., Diameter ft.								
Casing height above land surface. 12. in., Weight 2.5. lbs./ft., Wall thickness or gauge No. SDR26.								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 40 ft., From ft. to ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.								
what is the hearest source of possible contamination.								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
					from well20'			
FROM	ТО	LITHOLOG	SIC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil						
3	8	Clay		 				
8 35	35 40	Medium Sand						
35	40	Shale		 				
<u> </u>								
				†				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .03/12/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) .03/13/2015 under the business name of								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telepho	ne 785-29	5-5524. Send one copy to WAT	ER WELL OWNER and reta	ain one for your	records. Include fee of	\$5.00 for each construct	ed well. Visit us at	

http://www.kdheks.gov/waterwell/index.html