WATER WELL			WWC-5		Division of Water				
Original Record					esources App. No		Well ID	77 1	
1 LOCATION OF WATER WELL: County: PRATT			Fraction 45E 45W4	12/	ection Number			_	
County: PR	7478 7430074				CC K	3 DE XW			
2 WELL OWNER: Business:	Last Name: Bi	Shop	First: KIEE						
Business: Address: 706 S. Mound 5T direction from nearest town or intersection): If at owner's address, check here: AT The Address									
Address:									
City: PRATI		State: K5	ZIP: 67124						
3 LOCATE WELL									
WITH "X" IN		Depth(s) Groundwater Encountered: 1)							
SECTION BOX:	2)	2) ft. 3) ft., or 4) Dry Well Horizontal Datum: WGS 84 NAD							
			TER LEVEL:4.7		Source	for Latitude/Longitude			
	below	and surface	e, measured on (mo-day-	yr)	□ GP	S (unit make/model:			
NW NE	Pump test d	and surface	e, measured on (mo-day- water was f	уг). ө г. ю .		(WAAS enabled?		√o)	
w	۰ ۱		s pumping			Land Survey			
1 "1 1 1 1 1	,	Well water was ft.							
SW SE	after	hour	s pumping	gpm	(Til			17 1 5 700	
	Estimated \	Estimated Yield:gpm Bore Hole Diameter: 19. in. to95. if. andGPS Topo							
S	Bore Hole	Diameter: 🖊	/ 3 in. to/.2	ft. and	Source:				
1 mile in. to It.									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID									
1. Domestic:			ater Supply: well ID ng: how many wells?						
Lawn & Garden			echarge: well ID						
Livestock			ng: well ID			12. Geothermal: how many bores?			
2. Irrigation		9. Environmental Remediation: well ID						ical	
3. Feedlot	_	Air Sparg		Extraction		en Loop 🔲 Surface D			
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? ★ Yes □ No									
8 TYPE OF CASING USED: Steel PVC Other									
Casing diameter									
Casing height above land surface 24									
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass ▶ PVC □ Other (Specify)									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From 30 ft. to ft., From ft. to ft., From ft. to ft.									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well									
Other (Specify)									
Direction from well?	South		Distance from w			fi			
10 FROM TO		LITHOLO	GIC LOG	FROM	TO I	LITHO. LOG (cont.) o	r PLUGGIN	G INTERVALS	
0 18		(sy							
18 34	Fine	TAN S	And						
34 44	SAND		1						
90 95	CONTSE	, Sand	& graves						
90 95	Tanc	My		-					
		•		DY-4					
	-			Notes:					
,									
11 CONTRACTORIS OR LANDOWNERDS CERTIFICATION, This was a second of the s									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No. 672 This Water Well Record was completed on (mo-day-year) 8-24-17									
under the business na	me of Cow.	むろ いん	Her well SVR		Signature	111 // h	ZX		
Mail 1 white copy	along with a fee of	\$5.00 for ea	ch constructed well to: Kar	sas Departm	ent of Health and	ny ironment, Barcau of			
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									

>