

WATER WELL RECORD					
Form WWC-5		KSA 82a-1212	ID No.		
1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pratt		SE ¼ SE ¼ NE ¼	4	T 28 S	R 14 EW
Distance and direction from nearest town or city street address of well if located within city?					
6 Miles West of Pratt					
2 WATER WELL OWNER:		Russel White			
RR#, St. Address, Box # :		255 SE 60th Ave		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		Cullison, KS 76124		Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL . . . 114 . . . ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 . . . 75 . . . ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL . 75 . . . ft. below land surface measured on mo/day/yr Pump test data: Well water was . 80 . . . ft. after . 2 . . . hours pumping . . . gpm Est. Yield . . 48 . . . gpm: Well water was . . . ft. after . . . hours pumping . . . gpm Bore Hole Diameter . . 9 . . . in. to . . 114 . . . ft., and . . . in. to . . . ft. X X WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yrs sample was submitted Water Well Disinfected? X X X X No			
5 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile	
1 Steel		3 RMP (SR)		CASING JOINTS: Glued X X Clamped	
X X PVC		4 ABS		5 Asbestos-Cement	
Blank casing diameter . . . 5 . . . in. to . . 94 . . . ft., Dia . . . in. to . . . ft., Dia . . . in. to . . . ft.		6 Fiberglass		9 Other (specify below)	
Casing height above land surface . . . 24 . . . in., weight . . . Sdr 26 . . . lbs./ft. Wall thickness or gauge No.		7 Fiber glass		Welded	
TYPE OF SCREEN OR PERFORATION MATERIAL:		X X PVC		Threaded	
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		8 RMP (SR)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut	
1 Continuous slot		6 Wire wrapped		11 None (open hole)	
2 Louvered shutter		7 Torch cut		9 Drilled holes	
SCREEN-PERFORATED INTERVALS: From . . 94 . . . ft. to . . 114 . . . ft., From . . . ft. to . . . ft.		8 RMP (SR)		10 Other (specify)	
GRAVEL PACK INTERVALS: From . 26 . . . ft. to . . 75 . . . ft., From . . 80 . . . ft. to . . 114 . . . ft.		9 ABS		12 None used (open hole)	
From . . . ft. to . . . ft., From . . . ft. to . . . ft.		10 Asbestos-cement		11 Other (specify)	
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0		15		Top Soil and Red Clay	
15		32		Brown and White Clay	
32		65		Brown Clay	
65		73		Fine Sand	
73		82		Brown Clay	
82		90		Sand and Sandy Clay	
90		114		Sand and Gravel	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:		This water well was X X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 7 - 6 - 01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 677 This Water Well Record was completed on (mo/day/yr) . 7 - 16 - 01 under the business name of CLT Inc. by (signature) [Signature]			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					