WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Pratt	Fraction SW 1/4 NW 1/4 SW 1/4	Section Number Township No. Range Number T 28 S R 14 DE XX	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If		Latitude: (in decimal degrees)	
6 miles West & 1-1/4 mile	s South of Pratt, KS	Longitude: (in decimal degrees)	
		Elevation:	
	1 Lunt	Collection Method:	
RR#, Street Address, Box #: 10408 SW 60th Ave.		GPS unit (Make/Model:)	
City, State, ZIP Code : Pra	tt, KS 67124	Digital Map/Photo, Topographic Map, Land Survey	
3 LOCATE WELL	· · · · · · · · · · · · · · · · · · ·	Est. Accuracy:	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .250 X 4 holes ft.			
SECTION BOX: Depth(s) Gro	undwater Encountered (1)	ft. (2) ft. (3) ft. ft. below land surface measured on mo/day/yr. 12/29/10	
N WELL'S STA	ATIC WATER LEVEL	ft. below land surface measured on mo/day/yr!.4!.4?!!!	
ECT VIEID	Pump test data: Well water was		
W   - NW -   - NE -   EST. TEED. At agpm. wen water was			
WELL WATER TO BE USED AS: □ Public water supply			
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well			
S If yes, mo/day/yr sample was submitted			
	sinfected? Yes No		
5 TYPE OF CASING USED: Steel PVC Steel Other Polyethylene 3/4" to 250'			
CASING JOINTS: Glued C	lamped Welded Thread	3/4" to 250'	
Casing diameter 3/4 in. to .250 ft., Diameter 3/4 in. to 250 ft., Diameter 3/4 in. to 250 ft.			
Casing height above land surfacein., Weightlbs./ft., Wall thickness or gauge No			
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)   ☐ Brass ☐ Galvanized Steel ☒ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
From			
GRAVEL PACK INTERVALS: From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 250 ft., From ft. to ft. From ft. ft.			
Grout Intervals: From			
Septic tank Lateral	l lines	k pens	
Sewer lines			
☐ Watertight sewer lines ☐ Seepage Direction from well West		storage	
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 4 Topsoil			
4 65 Clay, brown			
65 94 Sand, fine to c			
94 105 Clay, brown w/l			
105   187   Sand, fine to c	coarse with cemented laye	rs —	
107 250 Shale, led a gi	CII		
		ater well was 🖺 constructed, 🗌 reconstructed, or 🔲 plugged	
under my jurisdiction and was completed on (mo/day/year)1.2/24/1.0. and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No1.38 This Water Well Record was completed on (mo/day/year)12/30/1.0			
under the business name of Poeterson Irrigation The by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212			