LOCATION OF WATER WELL:
County: Pratt
from nearest town or intersection: If at owner's address, check here Sw 20th and SW 50th Ave, 3/4 mile South, East into. Latitude:
Sw 20th and SW 50th Ave, 3/4 mile South, East into. Longitude:
2 WATER WELL OWNER: Kent Smith RR#, Street Address, Box #: 10168 SW 20th Ave City, State, ZIP Code : Pratt, KS 67124
2 WATER WELL OWNER: Kent Smith RR#, Street Address, Box #: 10168 SW 20th Ave City, State, ZIP Code
WATER WELL OWNER: Kent Smith Collection Method: GPS unit (Make/Model: GPS unit (Maker) of Bostup unit (Ma
RR#, Street Address, Box #: 10168 SW 20th Ave City, State, ZIP Code
City, State, ZIP Code Pratt, KS 67124 □ Digital Map/Photo, □ Topographic Map, □ Land Survey Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m A DEPTH OF COMPLETED WELL 143
Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m
WITH AN "X" IN SECTION BOX: N A DEPTH OF COMPLETED WELL 143
Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL. 74 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm EST. YIELD .100 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 14.3/4 in. to ft., and in. to ft. after hours pumping gpm WelL WATER TO BE USED AS: Public water supply Geothermal Injection well Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water well disinfected? Yes No 5 TYPE OF CASING USED: Steel PVC Other Welded Threaded Casing diameter 8 in. to .123 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .24 in., Weight SDR-17 lbs./ft., Wall thickness or gauge No.
Pump test data: Well water wasft_ after
Pump test data: Well water wasft_ after
EST. YIELD. 100gpm. Well water was
W WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well WELL WATER TO BE USED AS: ☐ Public water supply ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Domestic ☐ Feedlot ☐ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted. Water well disinfected? ☑ Yes ☐ No 5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded Casing diameter 8. in. to .123. ft., Diameter in. to .ft., Diameter in. to .ft. Casing height above land surface. 24. in., Weight SDR-17lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ☐ If yes, mo/day/yr sample was submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted ☐ Yes ☑ No STYPE OF CASING USED: ☐ Steel ☑ Yes ☐ No Stype OF CASING USED: ☐ Steel ☑ PVC ☐ Other ☐ Casing diameter 8 ☐ in. to 123 ☐ ft., Diameter ☐ in. to ft. Casing height above land surface 24 ☐ in., Weight SDR-17 ☐ lbs./ft., Wall thickness or gauge No. ☐ TYPE OF SCREEN OR PERFORATION MATERIAL:
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well
S
1 mile Water well disinfected?
TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other ☐ CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded ☐ Casing diameter .8. ☐ in. to .123 ☐ ft., Diameter ☐ in. to ft., Diameter ☐ in. to ft. Casing height above land surface .24 ☐ in., Weight SDR-17 ☐ lbs./ft., Wall thickness or gauge No. ☐ TYPE OF SCREEN OR PERFORATION MATERIAL:
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 8
Casing diameter .8
Casing height above land surface. 24
TYPE OF SCREEN OR PERFORATION MATERIAL:
1 1 04-1 1 1 04-1-1 04-1 1/1000
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE:
☐ Continuous slot
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)
SCREEN-PERFORATED INTERVALS: From
From
GRAVEL PACK INTERVALS: From
From149tt., fromtt. toft.
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other
What is the nearest source of possible contamination:
What is the hearest source of possible containmation: Septic tank
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well
Direction from well North Distance from well .110.ft.
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 7 Brown Clay Topsoil
7 22 Tan Clay
22 35 Small Gravel
35 68 Tan Clay
68 89 Small Sands
89 122 Small to Medium Gravel
122 143 Small to Medium Gravel
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged
under my jurisdiction and was completed on (mo/day/year) .8/4/2011 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No665 This Water Well Record was completed for (mo/day/year) .1.1/2.1/2.011
under the business name of Pratt Well Service by (signature)
INSTRUCTIONS. Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 White Copy, V Pink Copy
KSA 82a-1212 KSA 82a-1212 White Copy, Blue Copy, Pink Copy Original Returned to Seasons Correction Date: Q-29-11 Check: White Copy, Blue Copy, Pink Copy