

1) LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pratt		SW ¼ SW ¼ SW ¼	25	T 28 S	R 14 EW
Distance and direction from nearest town or city street address of well if located within city? 4½ north ¾ east of Coats ,Ks.					
2) WATER WELL OWNER:		Allen Drilling Box 1389 Great Bend, Ks. 67530			
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Application Number: T89-143			
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4) DEPTH OF COMPLETED WELL: 190 ft. ELEVATION:				
<p>1 Mile</p>	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
	WELL'S STATIC WATER LEVEL . . . 102. . . ft. below land surface measured on mo/day/yr April 4-1989				
	Pump test data: Well water was ft. after hours pumping gpm				
	Est. Yield . . . na . . . gpm: Well water was ft. after hours pumping gpm				
	Bore Hole Diameter . . . 10 . . . in. to . . . 190 . . . ft., and in. to ft.				
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . . . X . . . Clamped			
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		Welded	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Threaded	
		7 Fiberglass			
Blank casing diameter . . . 5 . . . in. to . . . 170 . . . ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface . . . 2ft. in., weight 258 . . . lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From . . . 170 . . . ft. to . . . 190 . . . ft., From ft. to ft.					
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From . . . 20 . . . ft. to . . . 190 . . . ft., From ft. to ft.					
		From ft. to ft., From ft. to ft.			
6) GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From . . . 0 . . . ft. to . . . 20 . . . ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		13 Insecticide storage			
Direction from well? north west		How many feet? 120			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Top soil			
3	12	Brown clay			
12	45	Brown and white clay		12	
45	90	Sand and gravel			
90	93	Brown clay			
93	190	Sand and gravel			
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-14-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 5-16-89 under the business name of Rosencrantz-Bemis by (signature) Fredia Rodson					