WATER WELL R		WWC-5		ision of Water		
Original Record				urces App. No.		
1 LOCATION OF W		Fraction	Sec	tion Number	Township Number Range Number	
County: PRA				21	T 28 S R 14 DE 2W	
2 WELL OWNER: L	ast Name: Freeman	n First: Chr:5			here well is located (if unknown, distance and	
Business:	-	- 1			tersection): If at owner's address, check here:	
Address: 60310	5w40B 5		_		of Print 3/2 South	
City: PRATT State: KS ZIP: 67124 H mile west N. To well						
3 LOCATE WELL		MPLETED WELL: .				
WITH "X" IN					e:(decimal degrees)	
SECTION BOX:		r Encountered: 1)		Longitu	ide:(decimal degrees)	
2) ft. 3) ft., or 4) \(\bigcup \) WELL'S STATIC WATER LEVEL: \(\bigcup \)						
	below land surface	ce, measured on (mo-day-	vr) 4-27-		or Latitude/Longitude: 5 (unit make/model:	
NW NE		e, measured on (mo-day-			(WAAS enabled? Yes No)	
	1	water was f		1	d Survey Topographic Map	
W E	after hou	irs pumping	gpm		ine Mapper:	
SW SE	Well	water was f	t.			
X		rs pumping	gpm	6 Floreti	on:ft. 🔲 Ground Level 🔲 TOC	
	Estimated Yield:	gpm			☐ Land Survey ☐ GPS ☐ Topographic Map	
S mile	Bore Hole Diameter:	10.5/3 in to 1.70	ft. and		Other	
7 WELL WATER TO		in. to	II.			
1. Domestic:		/ater Supply: well ID		10 🗆 🖂	Field Water Supply: lease	
Household		ing: how many wells?			le: well ID	
Lawn & Garden		Recharge: well ID			d Uncased Geotechnical	
Livestock		ing: well ID			mal: how many bores?	
2. Irrigation		ntal Remediation: well II			ed Loop Horizontal Vertical	
3. Feedlot	☐ Air Spar	ge 🔲 Soil Vapor I	Extraction	b) Ope	n Loop Surface Discharge Inj. of Water	
4. Industrial	☐ Recovery	y 🔲 Injection		13. 🗌 Othe	r (specify):	
Was a chemical/bacter	iological sample sub	mitted to KDHE?	Yes XNo	If yes, date s	ample was submitted:	
Water well diginfacted?	Mar Dista		•			
8 TYPE OF CASING	USED: Steel X P	VC Other	CASIN	JG IOINTS:	Glued Clamped Welded Threaded	
8 TYPE OF CASING USED: Steel PVC Other						
Casing diameter	in. to	., Diameter	in. to	ft., Diamet	er in. to ft.	
Casing diameter	in. to	in. Weight SDR Z	in. to	ft., Diamet	er	
Casing diameter Casing height above land s TYPE OF SCREEN OR	in. to	in. Weight SDR Z ATERIAL:	in. to	ft., Diamet Wall thickno	er in. to ft. ess or gauge No	
Casing diameter Casing height above land s TYPE OF SCREEN OR Steel Stair	in. to	in, Diameter	in. to 4.6 lbs./ft.	ft., Diamet Wall thickno	er in. to ft.	
Casing diameter	in. to	in. Weight SDR Z ATERIAL: erglass crete tile None u	in. to	ft., Diamet Wall thickno	er in. to ft. ess or gauge No	
Casing diameter	in. to	in, Diameter in. Weight SDR Z ATERIAL: erglass crete tile None u ARE:	in. to	ft., Diamet Wall thickno	er	
Casing diameter	m. in. to	in. Weight SDR Z ATERIAL: erglass PVC acrete tile None u ARE: Gauze Wrapped To	in. to	ft., Diamet Wall thickno Other rilled Holes [er	
Casing diameter	m. in. to	in. Weight SDR Z ATERIAL: erglass PVC acrete tile None u ARE: Gauze Wrapped To Wire Wrapped Sa	in. to	ft., Diamet Wall thickno Other rilled Holes fone (Open Hole	er	
Casing diameter	in. to	in. Weight SP Z ATERIAL: erglass PVC herete tile None u ARE: Gauze Wrapped To Wire Wrapped Sa om M. Gauze ft. to	in. to	ft., Diamet Wall thickno Other rilled Holes [fone (Open Hol ft. to	er	
Casing diameter	in to	in. Weight SDR ZATERIAL: erglass PVC herete tile None u ARE: Gauze Wrapped To Wire Wrapped Sa bom 1.70. ft. to 2.55 bom 1.70. ft. to 2.55	in. to	ft., Diamet Wall thickno Other rilled Holes [one (Open Hol ft. to .	er	
Casing diameter	in. to	in. Weight SPVC ATERIAL: erglass PVC herete tile None ut ARE: Gauze Wrapped To Wire Wrapped Sa om 179 ft. to 25	in. to	ft., Diamet Wall thickno Other rilled Holes [fone (Open Hol ft. to	er	
Casing diameter	in to formation in the purface formation of the purface formation of the purface formation of the purface formation openings of the purface formation openings of the purface formation openings of the purface formation of	in. Weight SPVC ATERIAL: erglass PVC herete tile None ut ARE: Gauze Wrapped To Wire Wrapped Sa om 179 ft. to 25	in. to	ft., Diamet Wall thickno Other rilled Holes [fone (Open Hol ft. to	er	
Casing diameter	in to formation in the purface formation of the purface formation of the purface formation of the purface formation openings of the purface formation openings of the purface formation openings of the purface formation of	in. Weight SPACE ATERIAL: erglass PVC herete tile None under the N	sed (open hole rch Cut D R. ft., From ntonite D ft. to	ft., Diamet Wall thickno Other rilled Holes [fone (Open Hol ft. to	er	
Casing diameter	in to	in. Weight SPACE ATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [one (Open Hol ft. to	er	
Casing diameter	in. to	in. Weight SP Z ATERIAL: erglass PVC nerete tile None u ARE: Gauze Wrapped Sa om 1.70 ft. to 1.50 Cement grout Be in ft., From Sewage La it Feedyard	in. to	milled Holes [one (Open Hol ft. to ther ft., From	er	
Casing diameter	in. to	in. Weight SP Z ATERIAL: erglass PVC herete tile None u ARE: Gauze Wrapped Sa om 1.70 ft. to 1.50 Cement grout Be in ft., From Sewage La it Feedyard	in. to	milled Holes [fone (Open Hol	er	
Casing diameter	in to	in. Weight SP Z ATERIAL: erglass PVC herete tile None u ARE: Gauze Wrapped Sa om F. f. to Som F. f. to Som F. f. to Som F. f. to Som Sewage La it Feedyard Distance from we	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in. to	in. Weight SP Z ATERIAL: erglass PVC corete tile None u ARE: Gauze Wrapped Sa om 1.70 ft. to 1.50 Cement grout Be in., From Sewage La it Feedyard Distance from we OGIC LOG	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SP Z ATERIAL: erglass PVC corete tile None u ARE: Gauze Wrapped Sa om 1.70 ft. to 1.50 Cement grout Be in., From Sewage La it Feedyard Distance from we OGIC LOG	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to	in. Weight SPR. ZATERIAL: erglass PVC herete tile None under the N	in. to	milled Holes [fone (Open Holes) ft. to	er	
Casing diameter	in to 25 ft. PERFORATION Maless Steel Fibe anized Steel Condition of the content of the con	in. Weight SPR. ZATERIAL: erglass SPVC herete tile None und ARE: Gauze Wrapped Same Som Som Server fit to Som Server fit to Server fit Sewage Lagit Feedyard Distance from we DGIC LOG SAME CENTIFICATION	in. to	milled Holes [one (Open Holes)] rilled Holes [one (Open Holes)] rither	er	
Casing diameter	in to 25 ft. PERFORATION Maless Steel Fibe anized Steel Condition of the content of the con	in. Weight SPR. ZATERIAL: erglass SPVC herete tile None und ARE: Gauze Wrapped Same Som Som Server fit to Som Server fit to Server fit Sewage Lagit Feedyard Distance from we DGIC LOG SAME CENTIFICATION	in. to	milled Holes [one (Open Holes)] rilled Holes [one (Open Holes)] rither	er	
Casing diameter	in to 25 ft. PERFORATION Maless Steel Fibe anized Steel Condition of the content of the con	in. Weight SPR. ZATERIAL: erglass SPVC herete tile None und ARE: Gauze Wrapped Same Som Som Server fit to Som Server fit to Server fit Sewage Lagit Feedyard Distance from we DGIC LOG SAME CENTIFICATION	in. to	milled Holes [one (Open Holes)] rilled Holes [one (Open Holes)] rither	er	
Casing diameter	in. to	in. Weight SPR. ZATERIAL: erglass	in. to	milled Holes [one (Open Holes) The to the total thickness of the total thickness of the total thickness of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total this record is ord was companion of the total thickness of the tot	er	
Casing diameter	in. to	in. Weight SPACE ATERIAL: erglass SPVC herete tile None under the	in. to	milled Holes [one (Open Holes) ft. to	er	
Casing diameter	in. to	in. Weight SPACE ATERIAL: erglass SPVC herete tile None under the	in. to	milled Holes [one (Open Holes) ft. to	er	