


1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 4 Township Number T 28 S Range Number R 16 EW  
 County: Kiowa  
 Distance and direction from nearest town or city street address of well if located within city?

2 East 2 North Haviland

2 WATER WELL OWNER: Wilbert Bevan  
 RR#, St. Address, Box # :  
 City, State, ZIP Code : Macksville, Kansas 67557  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL... 120 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 80 ft. 2. .... ft. 3. .... ft.  
 WELL'S STATIC WATER LEVEL... 80 ft. below land surface measured on mo/day/yr 3/23/88  
 Pump test data: Well water was 80 ft. after 1/2 hours pumping 70 gpm  
 Est. Yield 100 gpm: Well water was .... ft. after .... hours pumping .... gpm  
 Bore Hole Diameter. 8 3/4 in. to 120 ft., and .... in. to .... ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below)  
 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No........; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued  Clamped  
 2 PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded  
 7 Fiberglass    Threaded  
 Blank casing diameter 100 10 in. to .... ft., Dia. .... in. to .... ft., Dia. .... in. to .... ft.  
 Casing height above land surface 24 in., weight .... lbs./ft. Wall thickness or gauge No. SDR 26  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 7 PVC    10 Asbestos-cement  
 1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify)  
 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 5 Gauzed wrapped     8 Saw cut    11 None (open hole)  
 1 Continuous slot    3 Mill slot    6 Wire wrapped    9 Drilled holes  
 2 Louvered shutter    4 Key punched    7 Torch cut    10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 100 ft. to 120 ft., From .... ft. to .... ft.  
 From .... ft. to .... ft., From .... ft. to .... ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 120 ft., From .... ft. to .... ft.  
 From .... ft. to .... ft., From .... ft. to .... ft.

6 GROUT MATERIAL: 1 Neat cement    2 Cement grout     3 Bentonite    4 Other  
 Grout Intervals: From 0 ft. to 20 ft., From .... ft. to .... ft., From .... ft. to .... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well  
 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well  
 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage     16 Other (specify below)  
 ..... Livestock  
 Direction from well? All  
 How many feet? 5

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Topsoil			
3	8	Silt & Sand			
8	16	Brown clay			
16	62	Tan clay			
62	73	Sand & Gravel			
73	79	Tan clay			
79	120	Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 3/23/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 224. This Water Well Record was completed on (mo/day/yr) 4/18/88 under the business name of Carl Hayse Water Well Service by (signature) Carl Hayse

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4