WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section number		Township number Range number			
1. Location of well:		CTT 1/4 NTT 1/4 NTT 1/4	,			P 4CT	E/W	
2. Distance and dire	Kiowa ection from negrest town or city: 2F	SE ^{1/4} NE ^{1/4} NE ^{1/4}	er of well	± 1: Δ ¯	<u>I† 28 </u>	16W		
2. Distance and direction from nearest town or city: 2East-1 3/4Nort8howner of well: Alan Binford R.R. or street: Street address of well location if in city: 1/4 West of Haviland Kry, state, zip code: Wellsford, Kansas								
4. Locate with "X" in section below: N Sketch map: WATER					6. Bore hole dia. 28 in. Completion date 28 May			
N WATER WELL					Well depth 150 ft.			
₩ × × × × × × × ×					7Cable toolRotaryDrivenDugHollow rodJettedBored X_Reverse rotary 8. Use:DomesticPublic supplyIndustryX trigationAir conditioningStockLawnOil field waterOther			
				1				
SW SE					9. Casing: Materia Stee Height: #bove or below			
						_ Surface	in.	
S 1 1 M	DR	UNAGE			RMP PVC Dia. 16in. to 110ft. dep			
5. Type and color of material			From	То	Dia in. to ft. depth gage No 188			
			1_		W.A. Brown			
Top Soil, Sandy			0	3	Type <u>Free Flow</u> Dia. <u>16"</u> Slot/gauze <u>1/8"</u> Length <u>40'</u>			
Clay, Tan and Brown			3	15				
Sand, Fine With Clay			15	40	ft. c	nge of material 1/2 !!	<u>17</u> 5''	
Clay, Tan			40	57	11. Static water level:	mo./c	day/yr.	
Sand, Fine To Coarse			57	63	ft. below land sur		76	
,					12. Pumping level below land	nrs. pumping		
Clay, Tan Sandy			63	71	ft. afterhrs. pumping g.p.m. Estimated maximum yieldg.p.m.			
Sand. Fine to coarse and fine gravel			71	80	13. Water sample submitted:		doy/yr.	
			00	101		Date		
Sand and gravel, fine to coarse			80		14. Well head completion: Pitless adapter	Inches above gr	ade	
Clay, gray			10	1103	15. Well grouted? Yes			
Sand and gravel, fine to coarse			103	115	With: Neat cement	Bentonite Co	17,	
Clay gray and green			115	117	16. Negrest source of possible	contamination:		
			117	149	ft. Direction Well disinfected upon comple		NoI	
Sand and gravel, fine to coarse			+	1+7	17. Pump:	Not installed	~	
Clay, tan sandy with hard streaks			149	161	Manufacturer's name Madel number	HP Volts		
Sand, fine to coarse			16	16	Length of drop pipe	ft. capacityg	3.p.m.	
'					Type: Submersible	Turbine		
	Black	heat if needed)			Jet Centrifugal	Reciproce	` \ \ '	
(Use a second sheet if needed) 18. Elevation: 19. Remarks: Concrete slab was poured at sur-					20. Water well contractor's		─ "	
face, by customer. This well is near the					This well was drilled under my jurisdiction and this report			
Topography: center of a cultivated 1/4 section with					is true to the best of my knowledge and belief. Central Well & Pump 325			
no sources of contamination near exception from fertilizer or pesticides used on					Business name Address 121 S	Taylor Pr	att,	
— Upland crops.Pump was installed by Minter-Mes					AS. IT			
valley erly of Garden City, Ks.								