

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------------------------|---------------------------------------|---|--|---|----------------|-----------------------------------|--|--|---------------------------------|------------------------------|-------------------------------------|--|--------------------------------|---|--|---------------|----------------|--|----------------|----------------|--|--|--|--|
| 1. Location of well: County <u> Kiowa </u> | | Froction <u> 1/4 SE </u> | | | Section number <u> 3 </u> | | Township number <u> T 28 S </u> | | Range number <u> R 17 </u> | | | | | | | | | | | | | | | | |
| 2. Distance and direction from nearest town or city: <u> 1 n - 3 w of Haviland </u> Street address of well location if in city: | | | | | 3. Owner of well: <u> Bob Corrigan </u> R.R. or street: <u> 814 S Taylor </u> City, state, zip code: <u> Pratt Ks. </u> | | | | | | | | | | | | | | | | | | | | |
| 4. Locate with "X" in section below: | | | | Sketch map: | | | | 6. Bore hole dia. <u> 2 1/2 </u> in. Completion date <u> 11-28-75 </u> Well depth <u> 145 </u> ft. | | | | | | | | | | | | | | | | | |
| | | | | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>7. <input type="checkbox"/> Cable tool</td> <td><input checked="" type="checkbox"/> Rotary</td> <td><input type="checkbox"/> Driven</td> <td><input type="checkbox"/> Dug</td> </tr> <tr> <td><input type="checkbox"/> Hollow rod</td> <td><input type="checkbox"/> Jetted</td> <td><input type="checkbox"/> Bored</td> <td><input type="checkbox"/> Reverse rotary</td> </tr> </table> | | | | 7. <input type="checkbox"/> Cable tool | <input checked="" type="checkbox"/> Rotary | <input type="checkbox"/> Driven | <input type="checkbox"/> Dug | <input type="checkbox"/> Hollow rod | <input type="checkbox"/> Jetted | <input type="checkbox"/> Bored | <input type="checkbox"/> Reverse rotary | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | | | | | | | | | |
| | | | | | | | | 7. <input type="checkbox"/> Cable tool | <input checked="" type="checkbox"/> Rotary | <input type="checkbox"/> Driven | <input type="checkbox"/> Dug | | | | | | | | | | | | | | |
| <input type="checkbox"/> Hollow rod | <input type="checkbox"/> Jetted | <input type="checkbox"/> Bored | <input type="checkbox"/> Reverse rotary | | | | | | | | | | | | | | | | | | | | | | |
| 5. Type and color of material | | | | From | | To | | 9. Casing: Material <u> steel </u> Height: <u> Above </u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u> 1 1/2 </u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u> </u> lbs./ft. Dia. <u> 1 1/2 </u> in. to <u> 1 1/2 </u> ft. depth Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth gage No. <u> 7 </u> | | | | | | | | | | | | | | | | | |
| <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><u> Sandy Top Soil </u></td> <td><u> 0 </u></td> <td><u> 4 </u></td> </tr> <tr> <td><u> Sandy Brown Clay </u></td> <td><u> 4 </u></td> <td><u> 25 </u></td> </tr> <tr> <td><u> Sand & Gravel </u></td> <td><u> 25 </u></td> <td><u> 28 </u></td> </tr> <tr> <td><u> Brown & Gray Clay w/ sand Mixed </u></td> <td><u> 28 </u></td> <td><u> 40 </u></td> </tr> <tr> <td><u> Sand & Gravel clean coarse loose </u></td> <td><u> 40 </u></td> <td><u> 145 </u></td> </tr> <tr> <td><u> Yellow Brown Blue Gray Clay </u></td> <td><u> 145 </u></td> <td><u> 150 </u></td> </tr> </table> | | | | <u> Sandy Top Soil </u> | <u> 0 </u> | <u> 4 </u> | <u> Sandy Brown Clay </u> | <u> 4 </u> | <u> 25 </u> | <u> Sand & Gravel </u> | <u> 25 </u> | <u> 28 </u> | <u> Brown & Gray Clay w/ sand Mixed </u> | <u> 28 </u> | <u> 40 </u> | <u> Sand & Gravel clean coarse loose </u> | <u> 40 </u> | <u> 145 </u> | <u> Yellow Brown Blue Gray Clay </u> | <u> 145 </u> | <u> 150 </u> | 10. Screen: Manufacturer's name <u> Doers </u> Type <u> steel </u> Dia. <u> 16 </u> Slot/auge <u> 3/16 </u> Length <u> 40 </u> Set between <u> 150 </u> ft. and <u> 145 </u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u> 1/2 3/4 3/8 </u> | | | |
| | | | | <u> Sandy Top Soil </u> | <u> 0 </u> | <u> 4 </u> | | | | | | | | | | | | | | | | | | | |
| | | | | <u> Sandy Brown Clay </u> | <u> 4 </u> | <u> 25 </u> | | | | | | | | | | | | | | | | | | | |
| | | | | <u> Sand & Gravel </u> | <u> 25 </u> | <u> 28 </u> | | | | | | | | | | | | | | | | | | | |
| | | | | <u> Brown & Gray Clay w/ sand Mixed </u> | <u> 28 </u> | <u> 40 </u> | | | | | | | | | | | | | | | | | | | |
| | | | | <u> Sand & Gravel clean coarse loose </u> | <u> 40 </u> | <u> 145 </u> | | | | | | | | | | | | | | | | | | | |
| | | | | <u> Yellow Brown Blue Gray Clay </u> | <u> 145 </u> | <u> 150 </u> | | | | | | | | | | | | | | | | | | | |
| 11. Static water level: <u> 47 </u> ft. below land surface Date <u> 10-24-75 </u> mo./day/yr. | | | | 12. Pumping level below land surfaces: <u> 47 </u> ft. after <u> 314 </u> hrs. pumping <u> 1000 </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u> 1200 </u> g.p.m. | | | | | | | | | | | | | | | | | | | | | |
| 13. Water sample submitted: <u> Yes </u> No Date <u> 11-1-75 </u> mo./day/yr. | | | | 14. Well head completion: <input type="checkbox"/> Pitless adapter <u> </u> Inches above grade | | | | | | | | | | | | | | | | | | | | | |
| 15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u> 0 </u> ft. to <u> 10 </u> ft. | | | | 16. Nearest source of possible contamination: ft. <u> 12 </u> Direction <u> NW </u> Type <u> subc tank </u> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | |
| 17. Pump: <u> Not installed </u> Manufacturer's name <u> WZR </u> Model number <u> SCM 12 </u> HP <u> 80 </u> Volts <u> </u> Length of drop pipe <u> 105 </u> ft. capacity <u> 1000 </u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u> Rosencrantz - Bemis 134 </u> Business name License No. <u> </u> Address <u> Great Bend, Ks. </u> Signed <u> Frieda Anderson </u> Date <u> 9/30/76 </u> Authorized representative | | | | | | | | | | | | | | | | | | | | | |
| 18. Elevation: | | | | | | | | 19. Remarks: | | | | | | | | | | | | | | | | | |
| Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley | | | | | | | | | | | | | | | | | | | | | | | | | |

T 28 S
 R 17
 Sec 3
 1/4 NW
 1/4 SE

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5