		WAIER	VELL RECORD	LOLUI AAAAC	-5 KSA 828-	1212			
LOCATION OF WATER WELL:		Fraction	.10	S	ection Number	Township N	lumber	Range Nu	ımber
County: K	iowa	CC ST 1/4	NC1/4	W1/4 1	L /	T 28	S	R I/W	E/W
Distance and dire	ction from nearest t	town or city street addre	ess of well if located	d within city	?	•			
6 W, ½ S	of Haviland,	Kansas							
2 WATER WELL	OWNER John	Yohn	Sterling	Drilli:	ng Co.	Yohn	#1		
RR#. St. Address		ensburg, Ks.	_		O	Board of	Namiaudtuma F	Division of Meta-	. Baaaa
		_	Sterling	Vancae	67579			Division of Water 9101	1
City, State, ZIP C							Number:	9101	U 2
AN "X" IN SEC	L'S LOCATION WIT CTION BOX: N	H 4 DEPTH OF COM Depth(s) Groundwat	PLETED WELL ¹ er Encountered 1 ¹	170 110	ft. ELEVAT	rion:unkno	DWD. ft 3		
7	- i - i - i	WELL'S STATIC W	ATER LEVEL	110 ft	helow land surf	ace measured or	mo/day/yr	4/11	/91
1 i	- 1 i 1								
NW	NE	Pump te	st data: Well wate	rwas	π. ar	ter	. nours pur	mping	gpm
1 1		Est. Yield60	. gpm: Well wate	rwas	ft. af	ter	. hours pur	mping	gpm
≗ w - !		Bore Hole Diameter		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ft., a	ind	in.	to	
* w 1		WELL WATER TO I	BE USED AS:	5 Public wa	ater supply	8 Air conditioning	11 !	Injection well	1
; '		1 Domestic	3 Feedlot	6 Oil field v	vater supply	9 Dewatering	12 (Other (Specify b	elow)
3A	SE	2 Irrigation				Monitoring well			
!	!	1 -			_				
<u> </u>		Was a chemical/bac	eriologicai sampie s	ubmitted to			_	mo/day/yr samp	e was sub-
-	<u> </u>	mitted			Wat	er Well Disinfecte		<u>No</u>	
5 TYPE OF BLA	NK CASING USED:	: 5	Wrought iron	8 Con	crete tile	CASING JO	INTS: Glued	<u>l</u> Clampe	ed
1 Steel	3 RMP ((SR) 6	Asbestos-Cement	9 Othe	er (specify below)	Welde	ed	1
2 PVC	4 ABS	7	Fiberglass		` •			ded	
		in. to 150		in	• • • • • • • • • • • • • • • • • • •	4 Di-	111100		
Dialik Cashiy ulan	leter		II., Dia		Ю	π., Dia		n. to	· ¼'n· · · π.
Casing height abo	ove land surface		weight	5. .	lbs./f	t. Wall thickness	or gauge No	D	.77
TYPE OF SCREE	N OR PERFORATI	ION MATERIAL:		7_E	<u> VC</u>	10 Ast	estos-ceme	nt	
1 Steel	3 Stainle	ess steel 5	Fiberglass	8 F	RMP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvar		Concrete tile	9 A			ne used (ope		
	REPORATION OPEN						• • •	•	
		**		d wrapped		8 Saw cut		11 None (oper	nole)
1 Continuou	s slot 3	Mill slot	6 Wire v	vrapped		9 Drilled holes			
2 Louvered	shutter 4	Key punched	7 Torch			10 Other (specifi			
SCREEN-PERFO	RATED INTERVALS	S: From	150 ft. to	L70	ft. From	` · · · ·	ft to	.	ft
			ft. to						
CBAVE	DACK INTERVAL	С. Г.	20 4 4- 1			• • • • • • • • • • • •	11. 10.	· · · · · · · · · · · · · · · · · · ·	
GNAVE	PACK INTERVAL		20 ft. to	429) <i></i>	ft.
	···	From	ft. to		ft., From	1	ft. to)	ft.
6 GROUT MATE			Cement grout			Other			
Grout Intervals:	From0	ft. to .20	. ft., From	ft.	to	ft From		. ft. to	ft
What is the neare	st source of possibl				10 Livesto			andoned water	
1 Septic tan	•	eral lines	7 Pit privy			•			Weii
			• •		11 Fuels			l well/Gas well	 i
2 Sewer line		ss pool	8 Sewage lago	on	12 Fertiliz	er storage	16 Ot	her (specify belo	ow)
3 Watertight	sewer lines 6 See	epage pit	9 Feedyard		13 Insecti	cide storage			
Direction from we	11?	South			How man	y feet? 60			İ
FROM TO		LITHOLOGIC LO	à	FROM	то	Pl	UGGING IN	ITERVALS	
0 7	0 Clay								
70 17	0 Sand and	gravel		1	 				
				-					
									
									,
				1					
				1	T				
				 	 				
				1					
					<u> </u>				
				İ					ŀ
				1					
1					 				
				 		 -			
		-							
	1			1	1				
 	1			_	_L				
Z CONTRACTOR	r's or landowne	ER'S CERTIFICATION:	This water well wa	s (1) constr	ructed, (2) recon	structed, or (3) p	lugged unde	er my jurisdiction	n and was
completed on (mo		4/11/91	• • • • • • • • • • • • • •						
Water Well Contra	'	186	This Water We		as completed a	d is true to the be		6/11	791
					cas calloneien N	i onc/oatv/Vfl	9	-	
undor the best-	77 11	lv's Water Well	Service	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			I
under the busines	s name of Ke11	Ly's Water Well nt pen. <i>PLEASE PRESS FIRM</i>	Service		by (signatu	ire) Jeor	n/si	500	