			WATER	R WELL RECORD	Form WWC-	5 KSA 82a	-1212	
LOCATION			Fraction			ection Number	Township Number	Range Number R E/W
County: Kiowa			C 1/4	SW 1/4	1/4	18	т ²⁸ s	R I / W E/W
			=	dress of well if locate	d within city?	•		
		enham, Kans		na Adrentesa I	200011700	c Tno	Pershing #	
2 WATER V	WELL OW	NER: Mary St	usan reisni o Arisono	ng Advantage I	resource	s, inc.	•	
RR#, St. Address, Box # Sunlake, Arizona 1775 Sherman Board of Agriculture, Division of Water Res								
City, State, Z		85248		Denver, Co			Application Number	920-404
J LOCATE V AN "X" IN	NELL'S L	OCATION WITH	4 DEPTH OF CO	OMPLETED WELL	155	ft. ELEVA	TION: Unknown	
ī	!	1	Depth(s) Grounds WELL'S STATIC	water Encountered 1 WATER LEVEL	100 100 _{t.}	ft. 2 below land sur	face measured on mo/day/	3ft. /r12/4/92ft.
	NW	NE						oumping gpm
	1		Est. Yield 6	0_{\dots} gpm: Well wate	rwas	ft. af	ter hours p	oumping gpm
≝ w ├─	ı .		Bore Hole Diame	terin. to	. 1 5 5		and	in. toft.
* w	1		WELL WATER TO	O BE USED AS:	5 Public wat	ter supply	8 Air conditioning 1	1 Injection well
î l	ers/	SE	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering 12	2 Other (Specify below)
	×	35	2 Irrigation					
]	i		Was a chemical/b	acteriological sample s	submitted to (Department? Ye	s; If ye	es, mo/day/yr sample was sub-
	9		mitted		_	Wat	er Well Disinfected? Yes	—No-
TYPE OF	BLANK C	ASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOINTS: Glu	ed Clamped
1 Steel		3 RMP (SF	R)	6 Asbestos-Cement	9 Other	(specify below	v) We	Ided
2 PVC	_	4 ABS		7 Fiberglass				eaded
Blank casing	diameter		in. to . 135	ft., Dia	in. t	o	ft., Dia	in to Sch. 40 ft.
Casing heigh	t above la	ind surface		in., weight	2.8	Ibs./f	t. Wall thickness or gauge	No. 18ch 40
TYPE OF SC	CREEN O	R PERFORATION	N MATERIAL:		7 P	vc	10 Asbestos-cer	nent
1 Steel		3 Stainless		5 Fiberglass	8 R	MP (SR)	11 Other (specif	y)
2 Brass 4 Galvanized steel			ed steel	6 Concrete tile 9 ABS			12 None used (open hole)	
SCREEN OF	PERFOR	RATION OPENING	GS ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Conti	nuous slo	t 3 Mi	ill slot		wrapped		9 Drilled holes	(0)
2 Louve	ered shutt	er 4 Ke	ey punched	7 Torch				
SCREEN-PE	RFORATE	D INTERVALS:				ft. Fron		toft.
								toft.
GR	AVEL PA	CK INTERVALS:						toft.
			_					to ft.
GROUT M	MATERIAL	: 1 Neat o		2 Cement grout				
ے Grout Interva	ls: Fror	n 0	ft. to . 20	ft From		to.	ft From	ft. toft.
What is the r		urce of possible		,		10 Livest		Abandoned water well
•		4 Latera	teral lines 7 Pit privy				storage 15 Oil well/Gas well	
2 Sewe		5 Cess		8 Sewage lage	oon		_	Other (specify below)
3 Watertight sewer lines 6 Se			•	5 5		13 Insecticide storage		Cirior (specify below)
Direction from				2 . 224,4.4		How man	2.0	
FROM	ТО	South	LITHOLOGIC L	.OG	FROM	TO TO	, 100t.	INTERVALS
0	55	Clay			1			-
55	155	Sand and	gravel					
						1		
				·			7 - Y	
					1	1		
<u> </u>								
					- 	 		
					+	 		
					-	 		
-						++		
						 		
				-·	 	+		
					+	 		
-						+		
	I				<u> </u>	<u> </u>		
								nder my jurisdiction and was
		year) . 12./.4/9.						nowledge and belief. Kansas
			186	This Water W				1/31/93
under the bus	siness nar	ne of Kelly'	s Water Wel	1 Service		by (signati	ure) Deman	
INSTRUCTION	ONS: Use typ	ewriter or ball point p	oen. <u>PLEASE P</u> RESS FIF	RMLY and PRINT clearly. Ple	ase fill in blanks,	underline or circle	the correct answers. Send top thre	e copies to Kansas Department
of Health ar	nd Environm	ent, Bureau of Water,	Topeka, Kansas 66620-	-0001. Telephone: 913-296-5	545. Send one to	WATER WELL OW	NER and retain one for your recor	ds.