


1 LOCATION OF WATER WELL: Fraction SE 1/4 NW 1/4 SE 1/4 Section Number 16 Township Number T 28 S Range Number R 18 E
 County: KIOWA

Distance and direction from nearest town or city street address of well if located within city?
31.8' S. OF ILLINOIS AVE & E 103.0' W OF OAK ST &, GREENSBURG, KS

2 WATER WELL OWNER: FARMERS GRAIN & SUPPLY
 RR#, St. Address, Box #: 102 E KANSAS
 City, State, ZIP Code: GREENSBURG, KS.
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 90.25 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 80 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 77.11 ft. below land surface measured on mo/day/yr 11/8/95
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 7.5/8 in. to 90.25 ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well M.W. 11
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass Threaded X
 Blank casing diameter 2 in. to 65.0 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface 6 in., weight lbs./ft. Wall thickness or gauge No. Sched 40
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 65 ft. to 90 ft., From ft. to ft.
 From 65 ft. to 90 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 63 ft. to 90.25 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 1.0 ft. to 60.9 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|--------|-------------------------------------|------|----|--------------------|
| 0' | 2' | Topsoil, Brn, organic | | | |
| 2' | 13' | CLAY, DK BRN | | | |
| 13' | 20' | SILT, Red-Brn, SANDY (F) | | | |
| 20' | 25' | Clay, Red-Brn, silty | | | |
| 25' | 43' | SILT, Red-Brn, clay, sandy (v-f-m) | | | |
| 43' | 50' | SILT, Red-Brn, sandy (v-f-m) | | | |
| 50' | 59' | CLAY, Red-Brn, sandy, w/ caliche | | | |
| 59' | 70' | SAND, Golden Brn, w/ clay (F-C) | | | |
| 70' | 90.25' | SAND, Brn, (F-C), w/ pebbles gravel | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/19/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 483 This Water Well Record was completed on (mo/day/yr) 12/26/95 under the business name of TEST by (signature) Bob Hobbs

OFFICE USE ONLY T R E W SEC. 1/4 1/4 1/4