		ER WELL RECORD F	orm WWC-5 k				
LOCATION OF WATER WELL:		NOTE 17 CEN	Section 1		Township Number	ı	inge Number
County: Kiowa	SW 1/4		1/4 16		T 28	S R	18 EW
Distance and direction from nearest t 1000 E. Kansas - Greensburg		address of well if located	a within city?				
WATER WELL OWNER: Volz O	il Company						
R#, St. Address, Box# : $1000 \mathrm{E}$	ast Kansas				Board of Agriculture	e, Division of V	Vater Resources
ity, State, ZIP Code : Greens	s <u>burg, Kansas</u>	67054			Application Number	•	
LOCATE WELL'S LOCATION	4 DEPTH OF C	OMPLETED WELL	89 ft	ELEVA.	TION:	2227.44	
"WITH AN "X" IN SECTION BOX: N	Depth(s) Groun	dwater Encountered 1.		ft. 2	2	ft. 3	f
	WELL'S STATIC	C WATER LEVEL	ft. below	land surf	ace measured on mo	o/day/yr	
	Pum	p test data: Well water	маs N.A	ft. afte	r hou	ırs pumping	gpn
	Est. Yield N	🗛 gpm: Well water	was	ft. afte	r hou	urs pumping	gpn
W		neter in. to .	90	ft., ar	nd	in. to	fl
W E	WELL WATER	TO BE USED AS: 5 F	Public water supp	ly ε	Air conditioning	11 Injection	well
x	1 Domestic	3 Feedlot 6 0	Dil field water sup	ply	Dewatering	12 Other (S	pecify below)
SW SE	2 Irrigation				Monitoring well		
	1	al/bacteriological sample	submitted to Dep				/yr sample was
S	submitted			Wate	r Well Disinfected?	Yes	No √
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete til	Э	CASING JOINTS		*
1 Steel 3 RMP (S	;R)	6 Asbestos-Cement	9 Other (spec	ify below)		,
2PVC 4 ABS		7 Fiberglass					
lank casing diameter	in. to6	64 ft., Dia	in. to		ft., Dia	in. to .	ft
asing height above land surface	3,96	.in., weight		lbs./ft.	Wall thickness or ga	auge No	Sch. 40
YPE OF SCREEN OR PERFORATION	N MATERIAL		7)PVC		10 Asbesto	s-cement	
1 Steel 3 Stainles	s steel	5 Fiberglass	8 RMP (SF	?)	11 Other (s	pecify)	
2 Brass 4 Galvaniz	zed steel	6 Concrete tile	9 ABS		12 None us	ed (open hole)	
CREEN OR PERFORATION OPENIN		5 Gauzed		8	3 Saw cut	11 No	ne (open hole)
	Vill slot	6 Wire w	apped	9	Drilled holes		
2 Louvered shutter 4 h	Key punched	7 Torch c			Other (specify)		
CREEN-PERFORATED INTERVALS	From	64		ft., Fron	1	ft. to	f
	From			ft., Fron	1	ft. to	f
GRAVEL PACK INTERVALS		62 ft. to					
		ft. to	_				
	cement	2 Cement grout	3 Bentonite	4 0	Xther		
Grout Intervals: From	ft. to	ft., From60	! ft. to				
Vhat is the nearest source of possible				0 Livesto	= = = = = = = = = = = = = = = = = = = =	14 Abandone	
•	eral lines	7 Pit privy		1 Fuelst	J	15 Oil well/Ga	
2 Sewer lines 5 Ces	·						cify below)
_	page pit	9 Feedyard			cide storage	UST Bas	in
Direction from well? NW					feet? 620		
FROM TO	LITHOLOGIC	LOG	FROM TO)	PLUGG	ING INTERVA	<u>_S</u>
0 1 Topsoil,						· · · · · · · · · · · · · · · · · · ·	
1 13 Clay, Mediu						·	
	m Orange Bro						
	m Orange Bro						
	Orange Brown						
	m Orange Bro						
	m Orange Bro						
64 90 Sand, Mediu	m Orange Bro	own					
					W16, Flushm		
					ject Name: Volz Oil (
				Ge	oCore # 127, KDHE	# U1 049 798	
CONTRACTOR'S OR LANDOWNE	RS CERTIFICAT	ON: This water well was	(1) constructed.	(2) recor	nstructed, or (3) plug	ged under my i	urisdiction
nd was completed on (mo/day/year)					ord is true to the bes		
ansas Water Well Contractor's Lice	nse No	527 This					/26/96
nder the business name of		re Services, Inc.		(signatu	·	li Rall	
INSTRUCTIONS: Use typewriter or hall n	oint pen. <i>PLEASE PH</i>	RESS FIRMLY and PRINT clea	rly. Please fill in blar	ks, underlin	e or circle the correct ans	wers. Send top th	ree copies to Kansas