TANK TIME TANK					tion Number	· IOMATERIA	INTERPRET	
LOCATION OF Vounty: Kiowa	VATER VVELL:	Fraction SW	% NE % S'	w 1/4	16	Township T 28	S	Range Number
	ion from neares		et address of well if loca			1 28		1. 10 10
		eensburg, Kans						
		stal Mart #2509						
R#, St. Address, E			,			Board of Agr	iculture Divis	sion of Water Resources
		nsburg, Kansa	s 67054			Application N		order of trader resources
LOCATE WELL'S	SLOCATION	4 DEPTH OF		20	. ft. ELE\			0
WITH AN "X" IN		. 1 1						3
	N							yr ,
								mpinggpr
NW	NE							mping gpr
	1 1	_ Bore Hole Dia	meter 8 in. to	20	ft.,	and	in	. to
w		E WELL WATER	R TO BE USED AS: 5					
swX	SE	1 Domest		Oil field water			(12)	Other (Specify below)
SVV) SE	2 Irrigatio		Lawn and ga	rden only	10 Monitoring w	ell	Vapor Extraction w
		Was a chemic	cal/bacteriological samp	le submitted to		t? YesNo _n ater Well Disinfed		, mo/day/yr sample was
	S							No √
TYPE OF BLANK			5 Wrought iron					d Clamped
1 Steel	3 RMP ((SR)			(specify bek			led
\ _ /		in to						in. to
•								6 Sch. 40
PE OF SCREEN			weight	(7)PV			sbestos-cem	
1 Steel			5 Fiberglass	. ,	P (SR))
2 Brass		nized steel	6 Concrete tile	9 ABS			one used (op	
REEN OR PERF				ed wrapped		8 Saw cut	(0)	11 None (open hole)
1 Continuous	slot 3	Mill slot		wrapped		9 Drilled holes		,
2 Louvered sh	nutter 4	Key punched	7 Torch	cut		10 Other (speci	fv)	
REEN-PERFORA	TED INTERVAL	S: From	10 ft. to	20	ft., Fr	om	ft.	to
		S: From	10 ft. to	20	ft., Fr	om	ft. ft.	to
	ACK INTERVAL	S: From		20	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft.	to
GRAVEL P	ACK INTERVAL	S: From		20	ft., Fr ft., Fr ft., Fr ft., Fr	om	ft ft ft	to
GRAVEL P	ACK INTERVAL	S: From		20	ft., Fr ft., Fr ft., Fr ft., Fr	om	ft ft ft	to
GRAVEL P GROUT MATERIA out Intervals: Fro	ACK INTERVAL	S: From		20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. hite 4	omomomomomomomomomomomomother	ft. ft. ft. ft. ft. ft.	to
GRAVEL P GROUT MATERIA out Intervals: Front is the nearest	ACK INTERVAL	S: From From S: From From at cement		20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live	omomomomOtherft, From.stock pens	ft. ft. ft. ft. ft. ft. ft. ft. ft.	to
GRAVEL P GROUT MATERIA out Intervals: Front is the nearest 1 Septic tank	ACK INTERVAL AL: 1 Ne om 0 source of possi 4 La	S: From		20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. ite 4 to 8 10 Lives	omomomomomomomomomomomother	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fronat is the nearest 1 Septic tank 2 Sewer lines	ACK INTERVAL AL: 1 Ne om	S: From		20	ft., Fr	omomomomomom	ft.	to
GRAVEL P GROUT MATERIA out Intervals: From the state of the search 1 Septic tank 2 Sewer lines 3 Watertight sew	ACK INTERVAL AL: 1 Ne om	S: From		20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. ite 4 fo8 10 Lives 11 Fuel 12 Ferti 13 Inse	om	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fra nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewection from well?	ACK INTERVAL AL: 1 Ne om	S: From	ft. to	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. ite 4 fo8 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO	ACK INTERVAL AL: 1 Ne om	S: From	ft. to	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete	S: From	ft. to	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM 10 0 0.5	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete	S: From	ft. to	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5 0.5 6 6 8	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, Sandy Clay	S: From	ft. to	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM 10 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew tection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew tection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA tut Intervals: Fro at is the nearest Septic tank Sewer lines Watertight sewection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew tection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From From S: From From at cement ft. to 6 ble contamination steral lines ess pool eepage pit LITHOLOGIC Dark Brown , Brown Brown with Gr	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro eat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROW TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. From ft. From Sewage lagge 9 Feedyard	20	10 Lives 13 Inse How man	omomomom	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew tection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From	ft. to ft.	20	10 Lives 11 Fuel 12 Ferti 13 Inse How mai	om	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From	ft. to ft.	20	10 Lives 13 Inse How mai	om	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? ROM TO 0 0.5 0.5 6 6 8 8 16	ACK INTERVAL AL: om source of possi 4 La 5 Ce ver lines 6 Se SW Concrete Silty Clay, I Sandy Clay, Silty Clay,	S: From	ft. to ft.	20	10 Lives 13 Inse How mai	om	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Fro hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 0.5 6 8 8 16 16 20	ACK INTERVAL AL: 1 Ner orn 0 source of possi 4 La 5 Ce wer lines 6 Se SW Concrete Silty Clay, 1 Sandy Clay, 1 Silty Clay, 1 Silty Clay, 1	S: From	ft. to ft.	20	ft., Fr. ft.	om	ft.	to
GRAVEL P GROUT MATERIA out Intervals: Front is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 0.5 6 8 8 16 16 20 CONTRACTOR'S d was completed of	ACK INTERVAL AL: 1 Ner orn 0 source of possi 4 La 5 Ce wer lines 6 Se SW Concrete Silty Clay, I Sandy Clay Silty Clay, I Silty Clay, I OR LANDOWNI on (mo/day/year	S: From	11) ft. to ft.	3 Benton ft.	ft., Fr. ft.	Other	ft.	to
GRAVEL P GROUT MATERIA Dut Intervals: Fro nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROW 10 0 0.5 0.5 6 6 8 8 16 16 20 CONTRACTOR'S It was completed of	ACK INTERVAL AL: 1 Ner orn 0 source of possi 4 La 5 Ce wer lines 6 Se SW Concrete Silty Clay, I Sandy Clay Silty Clay, I Silty Clay, I OR LANDOWNI on (mo/day/year	S: From		3 Benton ft.	ft., Fr. ft.	Other	ft.	to
GRAVEL P GROUT MATERIA Dut Intervals: Front is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM 10 0 0.5 6 8 8 16 16 20 CONTRACTOR'S It was completed to	ACK INTERVAL AL: 1 Ne. om . 0 . source of possi	S: From	11) ft. to ft.	3 Benton ft.	ft., Fr. ft.	om	ft.	to