WATER WELL RECORD Form WWC-5 KSA 82a-1212 11 LOCATION OF WATER WELL: Range Number Fraction Section Number Township Number SW 1/4 Ţ County: Kiowa 16 28 18W. Distance and direction from nearest town or city street address of well if located within city? 419 W. Kansas Avenue, Greensburg, Kansas 67054 2 WATER WELL OWNER: Coastal Mart #2509 : 419 W. Kansas Avenue RR#, St. Address, Box# Board of Agriculture, Division of Water Resources Greensburg, Kansas 67054 City, State, ZIP Code Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1......ft. 2..........ft. 3................ft Ν Pump test data: Well water was ... NA ... ft. after ...... hours pumping ...... gpm NE NW W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Other (Specify below) swX SE 4 Industrial 7 Lawn and garden only 10 Monitoring well Vapor Extraction w 2 Irrigation submitted Water Well Disinfected? Yes ONLY CASING JOINTS: Glued . . . . . Clamped . . . . 5 Wrought iron 8 Concrete tile TYPE OF BLANK CASING USED: 6 Asbestos-Cement 1 Steel 3 RMP (SR) 9 Other (specify below) Threaded. .... 2 PVC 4 ABS 7 Fiberglass Casing height above land surface . . . . . . . . . . in., weight . . . . . . . . . ..... lbs./ft. Wall thickness or gauge No. . . . Sclt. 40 . . . . 7)PVC TYPE OF SCREEN OR PERFORATION MATERIAL 10 Asbestos-cement 8 RMP (SR) 3 Stainless steel 5 Fiberglass 11 Other (specify) . . . . . . . . . . . . . . . . 1 Steel 9 ABS 4 Galvanized steel 6 Concrete tile 12 None used (open hole) 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 5 Gauzed wrapped 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 2 Louvered shutter Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From ... 10 ... ft to ... 20 ... ft. From ... ft to ... ft **GRAVEL PACK INTERVALS:** 6 GROUT MATERIAL: 3 Bentonite 2 Cement grout 1 Neat cement  $\dots$  ft. to  $\dots$  6.  $\dots$  ft., From  $\dots$  6. ... ft. to . . . . 8 . . . . . ft., From . . . . . . . . . . . ft. to . . . . . . . . . . . ft. Grout Intervals: From . . . What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 7 Pit privy 11 Fuel storage 1 Septic tank 4 Lateral lines 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 72 Fertilizer storage 16 Other (specify below) 13 Insecticide storage 3 Watertight sewer lines 6 Seepage pit 9 Feedvard How many feet? 100 Direction from well? SW FROM LITHOLOGIC LOG FROM PLUGGING INTERVALS  $\mathbf{T}$ 0  $\overline{0.5}$ Concrete 0.5 Silty Clay, Dark Brown 4 4 8 Sandy Clay, Brown 8 12 Silty Clay, Brown 12 14 Sandy Clay, Light Red Brown 14 20 Silty Clay, Light Red Brown × Flushmount Project Name: Handex - Greensburg

under the business name of GeoCore Inc. by (signature)

GeoCore # 1037

×

×