


1 LOCATION OF WATER WELL: County: KIOWA Fraction: SE 1/4 NW 1/4 SE 1/4 Section Number: 16 Township Number: T 28 S Range Number: R 18 E

Distance and direction from nearest town or city street address of well if located within city?  
143' EAST OF OAK 44' 3" NORTH of US 54 HWY CENTERLINE

2 WATER WELL OWNER: FARMERS GRAIN & SUPPLY  
 RR#, St. Address, Box #: 102 E KANSAS  
 City, State, ZIP Code: GREENSBURG, KS  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 93.0 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 79.0 ft. 2. . ft. 3. . ft.  
 WELL'S STATIC WATER LEVEL 74.1 ft. below land surface measured on mo/day/yr 11/8/94  
 Pump test data: Well water was . ft. after . hours pumping . gpm  
 Est. Yield . gpm Well water was . ft. after . hours pumping . gpm  
 Bore Hole Diameter: 7 7/8 in. to 95.0 ft., and . in. to . ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW 9  
 Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped .  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded .  
 Blank casing diameter 2 in. to 68.0 ft., Dia . in. to . ft., Dia . in. to . ft.  
 Casing height above land surface 9 in., weight . lbs./ft. Wall thickness or gauge No. Sched 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) .  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) .  
 SCREEN-PERFORATED INTERVALS: From 68.0 ft. to 93.0 ft., From . ft. to . ft.  
 From . ft. to . ft., From . ft. to . ft.  
 GRAVEL PACK INTERVALS: From 62.0 ft. to 95.0 ft., From . ft. to . ft.  
 From . ft. to . ft., From . ft. to . ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 1.0 ft. to 56.8 ft., From . ft. to . ft., From . ft. to . ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	6'	CLAY, BLACK			
6'	13'	CLAY, BROWN			
13'	28'	SILT, TAN, CLAYEY			
28'	37'	SAND, TAN, VERY FINE - FINE, SILTY			
37'	48'	SILT, BROWN, SANDY, VERY FINE - FINE			
48'	55'	SILT, BROWN, SANDY, CLAYEY			
55'	60'	SAME BUT LESS CLAY			
60'	95'	SAND, ORANGE - BROWN, FINE TO COARSE, ROUNDED PEBBLES TO 3/4" DIA Pebbles increase to 2" @ 70'			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/7/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 485 This Water Well Record was completed on (mo/day/yr) 4/28/94 under the business name of TEST by (signature) Clay P. Day

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
R  
EW  
SEC.