


1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 County: ~~Adair~~ **Kiowa** NW 1/4 NW 1/4 ~~SW~~ 1/4 SE 16 T 28 S R 18 EW

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: **Volz Oil Company Volz**
 RR#, St. Address, Box #: **Norman Volz 1000 E. Kansas**
 City, State, ZIP Code: **Greensburg, KS 67054**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


4 DEPTH OF COMPLETED WELL: **89** ft. ELEVATION: **2287.99**
 Depth(s) Groundwater Encountered: 1 **76** ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL: **75.65** ft. below land surface measured on mo/day/yr: **05/18/04, 05/19/04**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering **Other (Specify below)**
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well **Water Collection**

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes **No**

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded **X**

Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: **-5.16** in., weight lbs./ft. Wall thickness or gauge No. **SCH 40 PVC**

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.

SCREEN-PERFORATED INTERVALS: From **59** ft. to **89** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **57** ft. to **89** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout **3 Bentonite** 4 Other
 Grout Intervals: From **1** ft. to **57** ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage **6 Other (specify below)**
Cust Site

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Concrete			
1	18	Clay, silty			
18	39	Clay, very fine, sandy			
39	44	Sand, very fine to fine, clayey			
44	53	Clay, silty			
53	63	Sand, fine to medium, clayey			
63	80	Sand, fine to coarse			
80	89	Sand & gravel, saturated, fine to coarse			
					VOBW 7 (D)

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1) constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **04/29/04** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **594** This Water Well Record was completed on (mo/day/yr) **11/21/04** under the business name of **Commodore Great Plains, Inc.** by (signature) **Robert Hill**