


1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 SE 1/4 Section Number 16 Township Number T 28 S Range Number R 18 E/W
 County: Kiowa

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Farmers Grain + Supply
Steve Magette
 RR#, St. Address, Box #: 311 N. Main
 City, State, ZIP Code: Greensburg, KS 67054
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL 89 ft. ELEVATION: 2934.96
 Depth(s) Groundwater Encountered: 1 74 ft. 2 _____ ft. 3 _____ ft.
 WELL'S STATIC WATER LEVEL: 82.54 ft. below land surface measured on 05/13/04
 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
 Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Vapor Obstruction
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes _____ No (No)

5 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued _____ Clamped _____
 Blank casing diameter _____ in. to _____ ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface -3.48 in., weight _____ lbs./ft. Wall thickness or gauge No. sch. 40 PVC
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 7 _____ 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) _____ 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slots 4 Key punched 5 Guazed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) _____ 11 None (open hole)
 SCREEN-PERFORATED INTERVALS: From 69 ft. to 89 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 62 ft. to 89 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 1 ft. to 62 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Last Site
 Direction from well? _____ How many feet? _____

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|------|---|------|----|--------------------|
| 0 | 7 | Clay, slightly silty, slightly sandy | | | |
| 7 | 11.5 | Clay, very silty, very sandy | | | |
| 11.5 | 14 | Clay, silty, sand | | | |
| 14 | 18 | Sand, silty, 10% clay, very fine | | | |
| 18 | 25.5 | Clay, slightly silty, sparse sand | | | |
| 25.5 | 48 | Sand, very fine gravel, silty | | | |
| 48 | 58 | Clay, silty, sandy | | | |
| 58 | 65 | Sand, very fine to fine, very silty, slight varnish under | | | |
| 65 | 89 | Sand, medium to coarse, very strong gasoline odor | | | VOBW 1(D) |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 05/13/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 374 This Water Well Record was completed on (mo/day/yr) _____ under the business name of Corona Great Plains, Inc. by (signature) _____