			WATI	ER WELL REC	CORD F	orm W		KSA 82a						
		ATER WELL:	Fraction		,			Number		nship N		1	Range No	_
County:		f	SE ½			1/4		6	T	28	S	R	18	E(W)
		on from nearest tow			ell if located	d within	city?							
		ner of Kansas &												
		WNER: Farmer's		ipply										
RR#, St.	Address, Bo	ox# : 102 E. K							Board	of Agric	ulture, Divi	sion of	Water R	esources
	e, ZIP Code		urg, Kansas						Applica					
3 LOCAT	TE WELL'S AN "X" IN S		DEPTH OF C											
l			Depth(s) Groun											
 ↑		V	VELL'S STATIO											
l' [~ ~ NW	NE -		p test data: V							-			
1 1	1	';- E	st. Yield ${f N}$											
1 Mile			Bore Hole Diam						and		in	ı. to		ft.
- " [1	† † † E v	VELL WATER	TO BE USED	AS: 5 F	Public w	ater sup	ply	8 Air cor	nditionin	ıg 11	Injectio	n well	
	CVA	X _{SE}	1 Domestic	3 Feedk			water su				12	Other (Specify	below)
	~ ~ SW ~ ~	1 1 1	2 Irrigation		trial 7 L	awn ar	nd garde	n only 🧗	10 Monito	ring væ				
♦			Vas a chemica	ıl/bacteriologic	cal sample	submitt	ed to De				-	, mo/da		/ 1
		<u> </u>	submitted	.,				Wa	ter Well D				No v	
5 TYPE	OF BLANK	CASING USED:		5 Wrought i	ron	8 C	oncrete (ile	CAS	ING JO	INTS: Glue	d	Clamp	ped
1 S	teel	3 RMP (SR)		6 Asbestos-	Cement	9 O	ther (spe	cify belo	w)				/	
(2) °	VC	4 ABS		7 Fiberglass	3						Thre	aded. 🐧	/	
Blank cas	ing diamete	r 4	in. to 7	5 ft., D)ia		in. to		ft., I	Dia		. in. to		ft.
Casing he	ight above	land surface	0	in., weight.		<u></u>		lbs./f	ft. Wall thi	ckness	or gauge N	No	Sch.	40
TYPE OF	SCREEN C	R PERFORATION	MATERIAL			7	PVC			10 Ast	estos-cem	ent		
1 S	teel	3 Stainless s	steel	5 Fiberglass	5	8	RMP (S	R)		11 Oth	er (specify)		
2 B	rass	4 Galvanized	steel	6 Concrete	tile	9	ABS			12 Nor	ne used (op	en hole))	
SCREEN	OR PERFO	RATION OPENING	S ARE:		5 Gauzed	wrappe	ed		8 Saw c	ut		11 No	one (ope	n hole)
10	ontinuous	slot 3 Mill	slot		6 Wire wr	apped			9 Drilled	holes				·
2 L	ouvered sho	utter 4 Key	punched		7 Torch c	ut			10 Other	(specify	/) . <i></i>			
SCREEN-	PERFORAT	ED INTERVALS:	From	. 75	ft. to	1.0	Q	. ft., Fro	om		ft.	to		ft.l
			From		ft. to			. ft., Fro	om		ft.	to		ft.
(RAVEL PA	CK INTERVALS:	From	. 70	ft. to	10	0	. ft., Fro	om	<i></i>	f t.	to		ft.
			From		ft. to			. ft., Fro	om		ft.	to		ft.
6 GROU	MATERIA	L: 1 Neatce	ement	2 Cement arc	out	(3)B	entonite	4	Other Co	ncrete				
		m	t. to 2	ft. Fro	m 2		ft. to							
1		ource of possible c							tock pens				ed water	i
	tic tank	4 Lateral		7 Pit	nriw.				storage			il well/G		WCII
l '	er lines	5 Cess p			vage lagoo	n			izer storag	16			ecify be	(varole
	ertight sewe				dyard	"			cticide stor					I
Direction	J	, o ooopa;	go p.c	0.00	, a y a i a			How man		ugo				
FROM	TO		LITHOLOGIC	LOG		FRO		ГО	,	PL	UGGING II	VIERVA	ALS	
0	0.5	Asphalt,												
0.5	20	Clay, silt, firm,	Brown											
20		Clay, silty, sand												
. 29	46	Clay, v. silty, v.		Brown										
46	47	Sand,	January Strike	2101111										
47	57	Clay, silty, sand	ly firm Rro	wn										
57		Sand (f-c),	ay, mum, Dic	7 7 11										
79.5	83	Clay, Tan												
		•												
79.5		Clay, Tan						-						
83	105	Sand and grave	i,											
							-							
											440## ==			
											11052 , Flus			
											Farmer's			
											DHE # U1			
		R LANDOWNER'S						l, (2) reco	onstructed	, or (3)	plugged un	ider my	jurisdict	ion
		n (mo/day/year)									best of my			
Kansas W	ater Well C	ontractor's License	No	. 52 7	This \	Water \	Nell Rec	ord was	completed,	n (mo	/day/yr)	12	2/12/20	07
under the	business na	ime of	Ge	oCore, Inc.			b	y (signat	ture)	lade	Ill			
									-	-				
INSTRU	JCTIONS: Use	e typewriter or ball point and Environment, Burea	pen. PLEASE PR	ESS FIRMLY and	d <u>PRINT</u> clea	rly. Plea	se fill in bla	anks, under	line or circle	the correc	ct answers. S	end top t	hree copie:	s to Kansas