WATEI	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Kiowa		Fraction // NW 1/4 SW	/ ¼ SE ¼	Section Number 16	Township No. T 28 S	Range Number R 18 □E ☑W		
		Address of Well Location; i		Global Positioning System (GPS) information:				
		own or intersection: If at o		Latitude: (in decimal degrees)				
IN C	IN CITY LIMITS, Main & Wisconsin Ave., Greensburg, KS City Hall				Longitude: (in decimal degrees) Elevation:			
2 WATER WELL OWNER: City Hall c/o Orr Construction					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
}	Oity Flair, Go Oil Colloca Gold				Collection Method: GPS unit (Make/Model:)			
	C'A CA-A- ZID C-1-				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City,	, ouic, z	n code . Raytowr	ı, Mo 64133		Est. Accuracy:	3 m, \square 3-5 m, \square	5-15 m, □ >15 m	
3 LOCATE WELL								
WITE	H AN "X	" IN 4 DEPTH OF C	COMPLETED WEL	L13/	ft.			
SECT	TION BO	X: Depth(s) Ground	water Encountered	(1)	ft. (2)	ft. (3) ft.	
	N	OX: Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water wasft. after hours pumping gpm							
	EST. YIELD.100gpm. Well water wasft. after							
W L	E Bore Hole DiameterV							
SW	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted							
	Water well disinfected? \(\overline{A} \) Yes \(\overline{D} \) No							
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .6								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From ft., from ft., from ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout								
Grout Intervals: From .4								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well West Distance from well .100 feet								
FROM	TO	LITHOLOG	IC LOG	FROM			GGING INTERVALS	
0	4	Topsoil						
4	58	Clay. Tan, sandy						
58	102	Sand, fine to coarse wit	h clay					
102	137	Sandstone, Tan						
137	140	Shale, gray						
					· · · · · · · · · · · · · · · · · · · · · · ·		······································	
				-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5/29/99 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year) .6/3/09								
under the business name of Peterson Irrigation, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toneka, Kansas 66612-1367								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
KSA 82a-1212 Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy								