WATER WE				WWC-5 ge in Well Use		ision of Wate ources App. N	1	Well ID	
1 LOCATION				Fraction		tion Numbe			
County: 🔥	iou	i A		1/4 NE/4 NE 1/4	NE1/4	16	T 28 S	R 18 □ E X W	
2 WELL OWN	ER: L	st Name: 🊜	NMAN	First: Nes1	Street or Ru			(if unknown, distance and	
Duanicaa.					direction from 1	nearest town or	intersection): If at owne	er's address, check here:	
Address:									
City: Greensburg State: KS ZIP: 67054									
3 LOCATE WE	LL			APLETED WELL: .,	/3/ ft	. 5 Latitu	ıde [.]	(decimal degrees)	
WITH "X" IN				Encountered: 1)				(decimal degrees)	
SECTION BO	2)	ft.	3) ft., or 4)	☐ Dry Well Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27					
	WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:				
						☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
NW NE	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map				
w			s pumping		Online Mapper:				
SW SE				vater was f					
5 5			s pumping	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Estimated Yield:gpm Bore Hole Diameter: 1978. in. to 131f			. ft. and	Source: Land Survey GPS Topographic Map				
1 mile Other									
7 WELL WATER TO BE USED AS:									
1. Domestic:				ater Supply: well ID				lease	
☐ Household ☑Lawn & Gar	dan			ng: how many wells?			Hole: well ID		
Livestock	uen	7. ☐ Aquifer Recharge: well ID					☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?		
2. Irrigation									
3. ☐ Feedlot			Air Sparg		Extraction			ischarge	
4. Industrial			Recovery	*					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes 🛣 No If yes, date sample was submitted:									
8 TYPE OF CASING USED: Steel PVC Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From									
SCREEN-PERF	ORATI	ED INTERV	ALS: From	n ft. to	ft., From .	ft. to	o ft., From	ft. to ft.	
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well									
Direction from we	137	799		Distance from w	ell? 2	99		t.	
	O		LITHOLO	GIC LOG	FROM	ТО		or PLUGGING INTERVALS	
0 5	\$4.	TOP	Soil		125	135	Clay	Monor maker as maker in the Color of	
	0	Sugar						AMARIAN .	
10 6	\$	CIAN	W/ SA						
	0	ciny i		vel & Conge Si	and				
70 8 80 9		Small		1 & gravel					
50 9		LAGE			Notes:	<u> </u>			
95 111		Carrie Sand Warmer							
11D 125 Large TO med Sand									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of									
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas									

Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topcka, Kansas 66612-1367. Telephone (785) 296-3565.