WATER WELL RECORD Form WWC-5 KSA 82a-1212 Range Number 1 LOCATION OF WATER WELL: Fraction Section Number Township Number 18 SW 1/4 NE 1/4 \mathbf{SW} 16 28 S County: Kiowa Distance and direction from nearest town or city street address of well if located within city? 418 W. Kansas Ave., Greensburg 2 WATER WELL OWNER: Kanza Bank Board of Agriculture, Division of Water Resources RR#, St. Address, Box# : PO Box 313 Application Number: City, State, ZIP Code Kingman, Kansas 67068 3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL 105 ft. ELEVATION: 2241.65 WITH AN "X" IN SECTION BOX Depth(s) Groundwater Encountered 1..... ft. 2..... ft. 3.... ft. N WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was NA.... ft. after hours pumping apm NW. --- --- NF --Est. Yield ... NA... gpm: Well water was ft. after hours pumping gpm W OFFICE USE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below) 6 Oil field water supply 1 Domestic 3 Feedlot SE 7 Lawn and garden only (10) Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes.......No v ...; If yes, mo/day/yr sample was Water Well Disinfected? Yes No ✓ CASING JOINTS: Glued Clamped 8 Concrete tile TYPE OF BLANK CASING USED: 5 Wrought iron 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel Threaded. 7 Fiberglass 4 ABS 2 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL 8 RMP (SR) 3 Stainless steel 5 Fiberglass 1 Steel 12 None used (open hole) 4 Galvanized steel 6 Concrete tile 9 ABS 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 11 None (open hole) 5 Gauzed wrapped 3 Mill slot 9 Drilled holes 6 Wire wrapped 1 Continuous slot Key punched 7 Torch cut 2 Louvered shutter **GRAVEL PACK INTERVALS:** 3 Bentonite (4) Other Concrete 6 GROUT MATERIAL: 2 Cement grout 1 Neat cement 14 Abandoned water well What is the nearest source of possible contamination: 10 Livestock pens 15 Oil well/Gas well 11 Fuel storage 1 Septic tank 4 Lateral lines 7 Pit privy 16 Other (specify below) 8 Sewage lagoon 12 Fertilizer storage 2 Sewer lines 5 Cess pool 13 Insecticide storage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard How many feet? Direction from well? PLUGGING INTERVALS LITHOLOGIC LOG FROM FROM TO 0 0.5 Asphalt, Sand, vf-c, fill, Lt. Brown 0.5 12 15 Sand, vf-m, clayey, Lt. Red Brown 12 Clay, silty, sandy, Lt. Brown 21 15 56 Sand, vf-m, silty, Lt. Brown 21 56 59 Sand, as above, becoming clayey, 59 64 Clay, sandy, Brown, mottled Green with Rust Sand, vf-c w/f gravel, Brown 64 76 Sand, f-c w/f-c gravel, Brown 105 76 MW55, Flushmount by (signature) under the business name of GeoCore. Inc. INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.