WATER WELL RECORD			Form WW	/C-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction		Section Number Township No. Range Number			
	ty: Kiow		1/4 NW 1/4 SW	1/4 NW 1/4	4	T 28 S	R 18 □E 🗹 W	
		ddress of Well Location;			Global Positioning			
from	nearest to	own or intersection: If at o	owner's address, check here .		Latitude: (in decimal degrees)			
1N c	of Green	sburg, KS				Longitude: (in decimal degrees)		
					Elevation:			
			Sampson		Collection Method:			
C'A CA ZID C 1			lexander		☐ GPS unit (Make/Model:			
City, State, ZIP Code : Clay Ce			enter, KS 67933		Digital Map/Ph	oto, Topographi	ic Map, L Land Survey	
Est. Accuracy: <3 m, 3-5 m, 5-15 m, >								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 124 ft.								
SECT	TON BO	X: Depth(s) Ground	lwater Encountered (1).70		ft. (2) ft. (3) ft.			
*************	N	WELL'S STAT	IC WATER LEVEL!!	ft.	below land surface measured on mo/day/yr.10/03/13			
		TOTAL VITAL TO OF	test data: Well water wasft. after					
w 3-NV	V NI	E EST. TELD. 80	zgpm. wen water v	toft., andin. toft.				
WELL WATER TO BE USED AS: Public water supply							Injection well	
SV	Domestic ☐ Feedlot ☑ Oil field water supply ☐ Dewatering ☐ Other (Specify below ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
new market and the second								
S If yes, mo/day/yr sample was submitted								
water werr distinceted: [12] Tes [140]								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .104 ft., Diameter in. to ft., Diameter ft., Diameter in. to ft. Casing height above land surface in., Weight 2.8 lbs./ft., Wall thickness or gauge NoSch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From							to ft.	
GRAVEL PACK INTERVALS: From 23 ft. to 124 ft., From ft. to ft. from ft. to ft.								
From								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
	Septic ta			Livestock p			ther (specify below)	
	Sewer lin] Fuel storag				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well ☐ Direction from well ☐ Feedyard ☐ Distance from well ☐ 120 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐								
FROM	ТО	LITHOLOG		FROM			UGGING INTERVALS	
0	9	top sand						
9	50	clay			Sampson	3-4		
50	123	sand and gravel				.'91'		
123	124	clay				rilling Company		
	-	The state of the s			P O Box 1		NAME OF THE OWNER OWNER OF THE OWNER OWNE	
					riall, NO	UIILT		
	 						AMMARIA CONTRACTOR OF THE CONT	
	1							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10/03/13 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year) .10/12/13								
under the business name of Kelly's Water Well Service. Inc. by (signature) Fathrym Library. INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524, Send one copy to WATER WELL, OWNER and retain one for your records. Judgide fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html