## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section number		Township number	hip number Range number			
1. Location of well:	Kiowa	1/4 C 1/4 NW	1/4		11	т 28 s	R 19	E(W)	
2. Distance and dire	ction from negrest town or city:		3. Owr	er of wel	ŀ	Butch Pyle			
4 mi. W. 3/4 mi N. East into field R.R. or s Street address of well location if in city: from Greensburg, Ks. City, sto						106 Plaza Terzace Dodge City, Ks. 67801			
						6. Bore hole dia. 29 in. Completion date			
4. Locate with "X" in section below:  Sketch map:  N						Well depth 168 ft.			
f ! ! !						7 Cable tool X Rotary Driven Dug			
						Hollow rod Jetted Bored Reverse rotary			
						8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock			
SW SE						Lawn Oil field water Other			
						9. Casing: Material St.eel Height: Above or NEW			
						Threaded WeldedX   Surface 18 in .  RMP PVC   Weight   lbs ./ft .			
S ! <del>&lt;</del> 1 Mile <del></del>						Dia. 16in. to 168 ft. depth Wall Thickness: inches or			
5. Type and color of material					То	Dia in. to ft. depth gage No7			
					<u> </u>	10. Screen: Manufacturer's r	oame Derrs		
Sandy top soil				0	9	Type steel Dia.			
Brown clay & sand				9	17	Slot/36334 3/16 Length 60 1 Set between 108 ft. and 168 ft.			
				7.0	24	ft. andft.,			
Gray, brown clay & sand				17	38	Gravel pack? X Size range of material 3/4 3/8  11. Static water level: mo./day/yr.			
Brown clay				38	50	11. Static water level:  73 ft. below land sur		./ddy/yr. 23 <b>-</b> 77	
Brown clay sand & gravel				50	60	12. Pumping level below land			
						77 ft. after hrs. pumping 600 g.p.m ft. after hrs. pumping g.p.m.			
Yellow clay				60	62	Estimated maximum yield			
Sand & gravel				62	168	13. Water sample submitted: mo./day/yr.  X Yes No Date5-23-77			
White, gray, Yellow clay				168		14. Well head completion:			
"						Pitless adapter	Inches above	grade	
						15. Well grouted?X With:_X_ Neat cement	Bentonite	Concrete )	
				-	<u></u>	Depth: From ft. to ft.			
						16. Neorest source of possible	e contamination:		
						ft. 1 mi_Direction <u>NE</u> Type <u>OilWell</u> Well disinfected upon completion? <u>HTH</u> YesNo			
						17. Pump:	Not installed		
				<del>                                     </del>		Manufacturer's name <u>Welle Re</u> Model number 6—12—BH HP 105 Volts  Length of drop pipe <u>150</u> ft. capacity <u>1050</u> g.p.m.  Type: Submersible Turbine			
				1	<del>                                     </del>	Submersible Jet		e ocating	
	(Use a second s	heet if needed)				Centrifugal	Other	<del></del>  *'∖	
18. Elevation:	19. Remarks:					20. Water well contractor's of This well was drilled under m		s report	
						is true to the best of my knowledge and belief.			
Topography:					Rosencrantz-Bemis 134				
Hill Slope						Business name  Address Great Bend, Ks 67530			
_X_ Upland						Signed Authorized regressentative Dat 8-77			
Valley			····			Authorized rep	resentative		