WATER WELL RECORD	)	Form W	WC-5	D <sub>1</sub>	vision of Wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL:		ion		•	on Number	Township No.		
County: Kiowa		14 SE 14 NE 14 NW 14					R 19 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
Junction Hwy 183 & 400 3 Miles North 1 1/2 West					Longitude: (in decimal degrees) Elevation:			
				Detun	Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Brian Gumpenburger					Collection Method:			
RR#, Street Address, Box #: P.O. Box 235				GPS unit (Make/Model:)				
City, State, ZIP Code : Mullinville, KS 67109					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:							5-15 m, ∐>15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 110 ft.								
	SECTION BOX: Depth(s) Groundwater Encountered (1).79							
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after								
W   F   E   Bore Hole Diameter 9.3/4 in. to							ft.	
WELL WATER TO BE USED AS:   Public water supply   Geothermal   Injection well								
SWSE								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
						Yes   No		
S If yes, mo/day/yr sample was submitted								
water went distincted: [12] Tes [140]								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter    Key punched    Saw cut    Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout P Rentonite Other								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well South West ☐ Distance from well200.								
	THOLOGIC LO		FROM	TO TO		OG (cont.) or PLU	GGING INTERVALS	
0 3 Topsoil and F			83	110		um to Coarse	CONTO INTLICANTO	
3 12 Fine Sand	ine Saliu		00	1.0	Janu Meur	uni to Odalse		
12 23 Sandy Clay	A STATE OF THE STA							
23 27 Sand Fine to	Medium						V/	
	Sand Title to Mediam Sandy Clay						111111111111111111111111111111111111111	
	Sand Fine to Medium							
39 43 Clay								
	Sandy Clay							
50 56 Cliche								
	to Coarse Little	e Clav						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5:-20:10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No473 This Water Well Record was completed on (mo/day/year), 6-1-10								
under the business name ofTyler. Water Well Inc								
INSTRUCTIONS: Use typewriter or b	all point pen. PLEAS	SE PRESS FIRMLY	and PRINT c	early. Plea	ase fill in blanks	and check the correct	answers. Send three copies	
(white, blue, pink) to Kansas Departme								
Telephone 785-296-5522. Send one co http://www.kdheks.gov/waterwell/index.l		LL OWNER and r	ctain one for	your recor	us. include <u>tee</u>	UI \$3.00 TOT each co	onstructed well. Visit us at	
	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							