WATER WELL R Original Record				rision of Wat ources App.			Well ID		
1 LOCATION OF W		Fraction	Say	tion Numb		Township Numb		ge Number	
	wick	Thatton 45E 4	8E1/4   SC	マラ		T S		E WW	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and									
Business: Great direction from nearest town or intersection): If at owner's address, check here:									
Address: 16780 W 71 St St S 16780 W 71 St St S									
City: Clearwater state: KS ZIP: 67026 Clearwater, K& 47026									
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 35ft. 5 Latitude:									
WITH "X" IN									
SECTION BOX:	Depth(s) Groundwater Encountered: 1)								
N	WELL'S STATIC WATER LEVEL: Source for Latitude/Longitude:								
	below land surface, measured on (mo-day-yr)								
NW NE	above land surface, measured on (mo-day-yr)					VAAS enabled?	Yes 🗆 N		
	Pump test data: Well water was								
E E	after hours pumping								
SW SE	after hours pumping gpm								
4	Estimated Yield: 26gpm 6 El					evation:ft. Ground Level TOC			
S 1 mile	Bore Hole Diameter:		Source:						
7 WELL WATER TO BE USED AS:									
1. Domestic:   5.   Public Water Supply: well ID									
Household	6. Dewatering: how many wells?								
Lawn & Garden	7. 🔲 Aquifer R								
Livestock	8. Monitoring: well ID								
2. ☐ Irrigation 3. ☐ Feedlot		a) Closed Loop							
4. ☐ Industrial	☐ Air Sparge       ☐ Soil Vapor Extraction       b) Open Loop       ☐ Surface Discharge       ☐ Inj. of Water         ☐ Recovery       ☐ Injection       13. ☐ Other (specify):								
_ \1 //									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes No If yes, date sample was submitted:									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface in. Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ VC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From 2 ft to ft From ft to ft From ft to ft									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)  Direction from well?  Distance from well?  ft.									
10 FROM TO	LITHOLO		FROM	ТО		IO. LOG (cont.) or		INTERVALS	
0 1	TOO SOIT		110101		2111	200 (cont.) of	LUGGII	- HILK TALD	
i ile	Cail								
16 29	med Sar	d.							
29 35	Shale								
	•								
					L				
			Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, [ reconstructed, or [ plugged									
under my jurisdiction and was completed on (mo-day-year) 2.2.7.1									
Kansas Water Well Con	tractor's License No.	This Wat	er Well Rec	ord was co	mplet	ed on (mo-day-ye	ear) . 3	<b>}</b> &:. <i>\!:</i> - <del>\!.</del>	
under the business name	of WANGER	praning	X)(X.)	WEAN.	//\fa				
INSTRUCTIONS: Send one copy to WATER WELL WNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012									

P