WATER WELL RECORD		Form W	WC-5	D	ivision of Wate	r Resources App. No	0.		
1 LOCATION OF WATER WELL:			Fraction			on Number		Range Number	
County: Sedawick			1/4 SW 1/4 SW			12	T 28 S	R 2 DE WW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)  Longitude: (in decimal degrees)			
						Elevation:			
A WATER WELL OWNER.						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Jeff Albert RR#, Street Address, Box #: 12600 W. 35th St. S.						Collection Method:  GPS unit (Make/Model:)			
	State, Zl	D C - 1-	i			Digital Map/Photo, Topographic Map, Land Survey			
THORIDA, NO OF ZZ						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 140 ft.									
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 149								3) 🕕	
N WELL'S STATIC WATER LEVEL. 40								ay/yr	
Pump test data: Well water wasft. after hours pumping								ping gpm	
EST. YIELD. 18gpm. Well water was							hours pum	ping gpm	
Bore Hole Diameter 10									
Domestic Capallet Coll field water currely Dewatering Other (Specify below)									
SW   SE									
Was a chemical/bacteriological sample submitted to Department?  Yes No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? ✓ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5. in. to .140. ft., Diameter									
Casing diameter .5									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)									
SCREEN-PERFORATED INTERVALS:         From									
	CD A V	T DACK DITEDUALS.	From	ft. to		ft., From	ft. i	to ft.	
GRAVEL PACK INTERVALS: From 20 ft. to ft., From ft. to ft. from ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.								to π.	
6 GROUT MATERIAL:   Neat cement     Cement grout   Bentonite     Other									
Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							er (specify below)		
Watertight sewer lines									
		well East							
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO, L	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
	3 125	Topsoil							
		Clay Medium Sand				<del> </del>			
		Shale							
ļ									
<b></b>									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .03/12/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 103/13/2015									
under the business name of Premier Pump & Well Service, Inc. by (signature) IV On Que INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
			http://www.kdheks.gov	/waterwell/ind	ex html				