WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick NE NW 1/4 NE 1/4 23 Т 28 S 2WE/W Distance and direction from nearest town or city street address of well if located within city? 15709 W. 47th Clearwater, Kansas WATER WELL OWNER: STEINKE, Collin Board of Agriculture, Division of Water Resource RR#,ST. ADDRES\$,BOX #: 15709 W. 47th CITY, STATE: Clearwater, Kansas ZIP CODE: Application Number: 60 4 DEPTH OF COMPLETED WELL: LOCATE WELL'S LOCATION ft. ELEVATION: WITH AN "X" IN SECTION BOX Depth of groundwater Encountered: ft. ft. WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 4/15/16 Pump test data: Well water was NW - NF ft. after hours of pumping @ gpm Est. Yield: Well water was ft. after hours of pumping @ apm Ξ Bore Hole Diameter 12 in. to **60** ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering SW SE 5. Public water supply 7. Lawn and garden only 3. Feedlot 1. Domestic 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO (YES) Was Water Well Disinfected? 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron Fiberglass 3. RPM (SR) 1 Steel Welded SDR-26 Clamped 8. Concrete tile 4. ABS Asbestos-Cement 2. PVC Blank casing diameter 5 40 Dia. Dia. to in. to ft 12 Casing height above land surface: 2.35 in.. Weight: Wall thickness or gauge No. lbs. / ft. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 1. Steel 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 40 60 From to ft.. From to ft. ft From to ft., From to ft GRAVEL PACK INTERVALS: 24 to 60 From ft., From to ft. From ft. ft... From ft. ft. **GROUT MATERIALS:** 6 Other Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From 24 ft.. ft. to ft., From What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 8. Sewage lagoon 16. Other (specify below) 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 6. Seepage pit 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line West Direction from well? How many feet? 200 ft. plus From LITHOLOGIC LOG Τо From Τo LITHOLOGIC LOG topsoil 38 clav 38 fine sand 42 gray shale Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or under my jurisdiction and 4/15/16 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/15/16

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp