p			LL RECORI) For	m vv v		SA 82a-12	12		
1 LOCATION OF WATER	R WELL:	FRACTION	CN		1	ION NUMBER		IP NUMBER	RANGE N	
Sedgwick	w	NW 1/4	SW 1/4	NE 1	/4	3	T 2	28 S	R 2V	W E/W
Distance and direction from nearest town or city street address of well if located within city?										
2610 S. Sartog			ard, Kansas	_						·
2 WATER WELL O		N CONTRAC	CTORS, LLC	2				Board of April	multura Divisias of	Water Daniel
RR#,ST. ADDRESS,		W. 37th N.						Board of Agric	culture, Division of	water Resource
CITY, S	STATE: Wichi	ita, Kansas			ZIF	CODE:		Application Num	nber:	
3 LOCATE WELL'S LOC	CATION 4 D	EPTH OF COMPL	ETED WELL:	116	ft.		ELEVATION:			
WITH AN "X" IN SECT		th of groundwater I	Encountered:		ft.			ft.		ft.
		LL'S STATIC WAT		35 F	T BELO	WIAND S:	IREACE MEAS	URED ON mo/d	lay/yr: 7/1:	8/16
NW Z	NE			Vell water			ft. after		of pumping @	
l lx	NC	Est. Yield:	•	Well water			ft. after		of pumping @	gpn
w Z ie	E Boi	re Hole Diameter	12 in.	TON WAR	to 3	5 ft.		in.		gpm
[-		LL WATER TO BE			10 5	. n.	and		to	ft. ection well
sw -				blic water	supply	7. Lawn a	nd garden onl	9. Dewaterir y	.9	pecify below
	2.	Irrigation 4. I	ndustrial 6. Oil	field wate	er supply	8. Air cor	ditioning	10. Monitorin		pecary below
	Wa	is a chemical/bacterio				YES	NO	; If yes, w	vhat mo/day/yr	was sample
	subi	mitted					Vater Well Disir	fected?	YES	NO
5 TYPE OF CASI	NG USED:	5. Wrought I	on 7 Fib	erglass	9. Ot	her (Specify	below) CA	SING JOINTS: C	Glued	Threaded
1. Steel	3. RPM (SR)	_		-	SDF				Welded	Clamped
2. PVC	4. ABS	6. Asbestos-	Cement 8. Cor	ncrete tile	SDF	C-20				
Blank casing diameter	r 5 ir	n. to 5	60 ft., C	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height above	land surface:	12 in.,	Weig	nht: 2.:	35 lb	s. / ft.	Wall th	nickness or gaug	e No214	
TYPE OF SCREEN O		•		, . .		J. 7 II.	Wan t	lickliess of gaug	.214	,
1	Stainless Steel	5. Fiberglass	7. PVC	\sim	9. AE	3S	11. 0	ther (specify)		
	Galvanized	6. Concrete Tile	e 8. RMF	(SR)	10 As	sbestos-Cer		one used (open I	hole)	
				(5.1)	10.71	300000000	12.11	one acce (open)	1000)	
SCREEN OR PERFOR										
1. Continuous slot	3. Mill slot	5. G a	auzed wrapped		7. Tor	ch cut	9. Dril	led holes	11. None (open hole)
2. Louvered shutter	4. Key pur	nched 6. W	ire wrapped	,	8. Sav	v cut	10. Oth	er (specify)		
SCREEN - PERFORAT	TION INTERVAL	From	50 ft.	to	116	ft.,	From	4	4-	
		From	ft,	to	110			ft.	to	ft.
CDAVEL DAG	NA INTERVALO.				117	ft.,	From	ft.	to	ft.
GRAVEL PAC	CK INTERVALS:	From	24 ft.	to	116	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIA	LS: 1. Neat ce	ement	2. Cement Grou	ut	3.	Bentonite		Other bento	onite hole pl	ug
Grout Intervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	 ft.
What is the nearest sou	urce of possible con			40.1						
1. Septic tank	4. Lateral li	ines 7. I	Pit privy	10. 1	Livestock	pens	13. Insect	icide storage	15. Oil well/0	
2. Sewer lines	5. Cess Po	ol 8. \$	Sewage lagoon	11.	Fuel stor	age	14. Aband	ion water well		pecify below)
3. Watertight sewer	line 6 Seepage	epit 9. F	eed yard	12. I	Fertilizer	storage			None	Yet
Direction from well?		•					How m	any feet?		
From To	L	ITHOLOGIC	LOG		From	To		LITHOLO	GIC LOG	
0 3	topsoil									
	clay									
	fine sand									
27 35	clay		-							
35 116	grey shale									
<u> </u>										
 				-						
7 Contractor's or La	adama - d- C - ""	Non This								
	andowner's Certifica		ell was 1. cons	tructed	2. rec	onstructed	or 3.	plugged u	inder my jurisdict	tion and
was completed on (mo/day/year) 7/18/16 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/20/16										
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp										
