WATER WELL R			vision of Water	1				
Original Record		ge in Well Use		sources App. No.		Well ID		
1 LOCATION OF W	Fraction NE 1/4 SW 1/4 SW 1/4					ge Number		
					12 T 28 S R 2 DE W al Address where well is located (if unknown, distance and			
Business: Address:								
Address: 3535 S. F City: WICHITA								
3 LOCATE WELL	4 DEPTH OF COM	120	ft. 5 Latitud	5 Latitude:(decimal degrees)				
WITH "X" IN SECTION BOX:	Depth(s) Groundwater	Encountered: 1)4	4 ft.	Longitu	Longitude:(decimal degrees)			
N N	2) ft.	3) ft., or 4)	Dry Well	Horizont	Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
	WELL'S STATIC WA	TER LEVEL: 42 c, measured on (mo-day-	9/5/201	Source for Latitude/Longitude: GPS (unit make/model:)				
NIV NE	above land surface	e, measured on (mo-day-	уг) vг)	GPS	(WAAS enabled?			
NW NE	Pump test data: Well v	water was88 ft	I	☐ Land Survey ☐ Topographic Map				
W	after1.9hours pumping 29gpm							
SW SE	Well water was							
	after hours pumping							
S	Bore Hole Diameter:10.5 in. to120 ft. and Source: Land Survey Light GPS Light Topograp							
1 mile in. to ft. Uother								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID								
1. Domestic: Household	6. ☐ Dewaterii			10. Oil Field Water Supply: lease				
Lawn & Garden	7. Aquifer R			☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. Monitoring: well ID			Geother	12. Geothermal: how many bores?			
2. Irrigation		9. Environmental Remediation: well ID			a) Closed Loop			
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparg ☐ Recovery	extraction		b) Open Loop				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 100 ft. to 120 ft., From ft. to ft., From ft., Fr								
UKAVEL PACK IN I EKVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Nearest source of possible contamination:								
Septic Tank	Lateral Line			Livestock Pens				
☐ Sewer Lines ☐ Watertight Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage	Abandon		Vell	
☐ Other (Specify) Direction from well? WEST Distance from well? 1.75+ ft.								
10 FROM TO	LITHOLO	GIC LOG	FROM	TO L	THO. LOG (cont.) or P	LUGGING	INTERVALS	
	TOP SOIL			-				
	CLAY FINE SAND		ļ	+				
	MED SAND		 	 				
	CLAY							
	FINE SAND							
	IED SAND Notes:							
116 120 SHALE								
44 CONTRACTORIS OR A AND ON AND ON A STATE OF THE STATE O								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 9/5/2017								
under the business nam	e of WENINGER DR	ILLING LLC	S	ignature		.,		
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								
. IDIE MD at Http:// WWW.KullCK	AND TO TRACE WELL HILLEN, HUILI		· · · · · · · · · · · · · · · · ·			V10CU	II A UI AU U I J	