KOLAR Document ID: 1590219

				Division of Water					
<u> </u>		ge in Well Use		sources App. No		Well ID	- North -		
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4	Section Number		Township Numb	er Ran R	nge Number □ E □ W		
2 WELL OWNER	I agt Nama	First:	-	ural Address w					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:	G	710							
City: 3 LOCATE WELL	State:	ZIP:							
WITH "X" IN	4 DEPTH OF COM								
SECTION BOX:	Depth(s) Groundwater			Longitude:(decimal degrees)					
N		3) ft., or 4) [
	WELL'S STATIC WATER LEVEL:				<u>For Latitude/Longitude</u> S (unit make/model:		,		
NW NE X -		, measured on (mo-day-							
	Pump test data: Well v			☐ Land Survey ☐ Topographic Map					
W		s pumping		☐ Online Mapper:					
SW SE		Well water was ft. after hours pumping gpm							
		Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter: in. to ft. an				Source: Land Survey GPS Topographic Map				
1 mile									
7 WELL WATER TO BE USED AS:									
1. Domestic:		5. Public Water Supply: well ID				10. Oil Field Water Supply: lease			
☐ Household ☐ Lawn & Garden	6. ☐ Dewatering: how many wells?				11. Test Hole: well ID				
Livestock					12. Geothermal: how many bores?				
2. ☐ Irrigation		al Remediation: well II		a) Closed Loop					
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)									
Direction from well? ft.									
10 FROM TO	LITHOLO		FROM		ITHO. LOG (cont.) or		G INTERVALS		
			Notes:	1					
		TAULES.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No									
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									