


1 LOCATION OF WATER WELL: Fraction SW 1/4 SE 1/4 NE 1/4 Section Number 20 Township Number T 28 S Range Number R 20 EW

Distance and direction from nearest town or city street address of well if located within city?

2 1/2 miles west, 1/2 mile north of Mullinville

2 WATER WELL OWNER: John Rose  
 RR#, St. Address, Box #: Route 1, Box 126 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Mullinville, Kansas 67109 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 122 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 46 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 46 ft. below land surface measured on mo/day/yr 11/23/89  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 100 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 8 3/4 in. to 122 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  2 Irrigation  3 Feedlot  4 Industrial  5 Public water supply  6 Oil field water supply  7 Lawn and garden only  8 Air conditioning  9 Dewatering  10 Monitoring well  11 Injection well  12 Other (Specify below)  
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  5 Wrought iron  6 Asbestos-Cement  7 Fiberglass  2 PVC  4 ABS  8 Concrete tile  9 Other (specify below)  
 CASING JOINTS: Glued  Clamped Welded Threaded  
 Blank casing diameter 5 in. to 102 ft., Dia in. to ft., Dia in. to ft.  
 Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. SDR-26  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  8 RMP (SR)  11 Other (specify)  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot  5 Gauzed wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  6 Wire wrapped  9 Drilled holes  
 7 Torch cut  10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 102 ft. to 122 ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 122 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout  3 Bentonite 4 Other  
 Grout Intervals: From 1 ft. to 25 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  11 Fuel storage  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  12 Fertilizer storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  13 Insecticide storage  16 Other (specify below) Livestock  
 Direction from well? All How many feet? 5

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	50	Tan clay			
50	85	Sand			
85	88	Tan clay			
88	120	Gravel			
120	122	Gray clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/23/89 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. 224 This Water Well Record was completed on (mo/day/yr) 5/30/90  
 under the business name of Carl Hayse Water Well Service by (signature) Carl Hayse

OFFICE USE ONLY