

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Kiowa	Fraction NE 1/4 NE 1/4 NE 1/4	Section number 25	Township number T 28 S R 20 E W	Range number 20
2. Distance and direction from nearest town or city: 1 East of Mullinville Street address of well location if in city:				3. Owner of well: Pickrell Drilling Co. R.R. or street: Litwin Bldg. Suite 205 City, state, zip code: 110 North Market Wichita, Ks.		
4. Locate with "X" in section below:		Sketch map:		Bore hole dia. 8 7/8 9" Completion date 1-7-77 Well depth 203 ft. 1-7-77		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Top Soil		0	4	9. Casing: Material pvc Weight: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 4 in. to 203 ft. depth; Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth; gage No. 2 3/4		
Rine Sand		4	10	10. Screens: Manufacturer's name R/B Type pvc Dia. 4 Slot/gauge 1/16 Length 30 Set between 173 ft. and 203 ft. Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2 3/4 3/8		
Brown & White Clay		10	87	11. Static water level: 120 ft. below land surface Date 1-7-77 mo./day/yr.		
Sand & Gravel		87	126	12. Pumping level below land surfaces: NA ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		
Hard Cemented Sand		126	128	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
Brown & White Clay Rock		128	173	14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> 20 inches above grade		
Sand & Gravel		173	184	15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
Gravel Clay		184	186	16. Nearest source of possible contamination: ft. 100 Direction West Type oil well Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Sand & Gravel		186	203	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosenkrantz-Bemis 134 Business name Great Bend, Ks. License No. Address 1-1 Signed Trucha Dabson Date 1-1 Authorized representative		

9" MNC

MNC 173

28 200 25 NE 1/4 1/4 1/4