		Ω_{\bullet}	,	u f		
WATER WELL RECORD	Form WWC-5	Y/L Divisio	ice 7	Pasauraasi Ann Na	20070327	
1 LOCATION OF WATER WELL:	Fraction	Section N	lumber	Township Number	er Range Number	
	NW 1/4 NE 1/4 NE			T 28 S	R 20 EW	
Distance and direction from nearest town or ci	ty street address of well in	Global Pos			legrees, min. of 4 digits)	
located within city? Mullenvile, KS			U	`	,	
.5 W $.5$ N $.3$ W and S in	to	Longitud	le:			
2 WATER WELL OWNER: White	Exploration In	C Flevation	1:			
	ta, KS 67220	Data Col	lection M	lethod:		
	PLETED WELL	260	ft.			
LOCATION WITH AN "X" IN Depth(s) Groundwater	Encountered (1) 7	' O G	(2)	A (2	·) 4	
SECTION BOX: WELL'S STATIC WA						
N Pump test data	: Well water wal	ft after	u surrace r	hours numning	ay/y10	
Est. Yield. /OOgpn	n: Well water was	ft. after	· · · · · · · · · · · · · · · · · · ·	hours pumping	ggpm	
	E USED AS: 5 Public w					
$_{\rm W}$ $_{\rm I}$ $_{\rm E}$ 1 Domestic 3 Fee	dlot 6 Oil field wa	ter supply	9 Dewa	itering 12 (Other (Specify below)	
2 Irrigation 4 Ind	lustrial 7 Domestic (la	wn & garden)	10 Monit	toring well		
SW SE						
	iological sample submitte					
-		Water well dish	nfected?	resx No		
S			0.00.0		W @1	
5 TYPE OF CASING USED: 5 Wrought	Iron 8 Concrete	tile	CASING	JOINTS: Glued.	X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos 2 PVC 4 ABS 7 Fiberglass	-Cement 9 Other (sp				1	
Blank casing diameter 6 in. to	ft Diameter	in to	ft Г	Hilleau Diameter	in to ft	
Casing height above land surface24	in Weight 4.07	III. 10 ' 4	Wall thick	kness or guage No	SDR 21.316	
TYPE OF SCREEN OR PERFORATION MATE			vv an tine	ances of gauge fre	· · · · · · · · · · · · · · · · · · ·	
1 Steel 3 Stainless Steel 5 Fiber		9 ABS		11 Other (Specify	y)	
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE						
1 Continuous slot 3 Mill slot 5 Gi	uazed wrapped 7 Torch	cut 9 Drille	d holes	11 None (open	hole)	
2 Louvered snutter 4 Key punched 6 W	1 8 0 ft to	Cut 10 Othe	r (specify)	ft to		
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 aw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 1.80 ft. to 2.6.0 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 6.0 ft. to 260 ft., From ft. to ft.						
	ft. to					
CONCUENCE OF THE CONCUE	<u> </u>			1 1		
6 GROUT MATERIAL: (1) Neat cement 2 Grout Intervals: From ft. to	Cement grout 3 Benton	ite 4 Other	n.o	.t.e b Y ri '8'	α α	
What is the nearest source of possible contaminat		II. to	π.,	From	It. toIt.	
1 Septic tank 4 Lateral lines		ivestock pens	13 Inse	cticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool		iel storage		indoned water wel		
3 Watertight sewer lines 6 Seepage pit	2 2	ertilizer Storage		well/gas well		
Direction from well?	•	many feet?				
FROM TO LITHOLOGIC	LOG FI	ROM TO		PLUGGING IN	ITERVALS	
0 3 Surface	1	37 166	Cla			
3 23 Sandy clay		66 257	San			
23 36 Sand		257 260	San	d and clay	streaks	
36 43 Sandy clay						
43 60 Sand						
60 67 Sandy clay						
67 74 Sand and gravel	L 1					
74 93 Clay and sand s	treaks					
93 131 Clay "white" 131 137 Gravel						
7 CONTRACTOR'S OR LANDOWNER'S CE	ERTIFICATION: This v	vater well was	1) onstru	cted. (2) reconstru	icted, or (3) plugged	
7 CONTRACTOR'S OR LANDOWNER'S CE under my jurisdiction and was completed on (mo/	day/year) . 8 - 25-4	and this record	is true to	the best of my kn	owledge and belief. ~	
Kansas Water Well Contractor's License No. KW!	W.C.L4.37 0 his Water Wel	l Record was co	ompleted o	on (phylolay/gear).	8-25-07	
under the business hame of Howard prili	ing box ovo bea	t ∨ eo yr (Sigunauui	ピレフコム	# # 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
INSTRUCTIONS : Use typewriter or ball point pen. <i>PLEA</i> three copies to Kansas Department of Health and Environment	SE PRESS FIRMLY and PRINT	clearly. Please file	ll in blanks	under the or Signature of the dear	Worker byswers. Send top	
785-296-5522. Send one to WATER WELL OWN						
http://www.kdhe.state.ks.us/geo/waterwells.						