CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Ford Location changed to:
Section-Township-Range: 10-28 5-22 4	10-285-22W
Fraction (1/4 1/4 1/4): NE SE SE	10-285-22W W2 SW SE SE
Other changes: Initial statements:	
:	
Changed to:	
Comments:	· .
verification method: Written & legal descrip	stions, position on plat map,
and aerial photos on KGS	online mapping tool
*	initials: DR date: 4/14/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	JE SW GE 170			T	T			
1. Location of well:	Fraction	Section	n number	Township number	Range number			
PORD	SEVSEVASE	1/4	0	1 28 s	1 22	E.W		
2. Distance and direction from nearest town or city: 5 NW Of BUCKUN 3. Owner of well: 14, 14, 15 66 6007;								
Street address of well location if in city: 1M. NOATH & West R.R. or street: FORD, KAISAS City, state, zip code:								
4. Locate with "X" in section below:	Sketch map:			6. Bore hole dia. in Well depth // ft.	Completion date —	7		
I I I I I I I I I I I I I I I I I I I	infit			7 Cable tool Rotary Hollow rod Jetted	Driven Dug			
W I I I E I I I I I	duest			8. Use: Domestic P	ublic supply Indu	ustry		
W NE NE NE SE S			Irrigation Air conditioning Stock Lawn Oil field water Other					
1			9. Casing: Material 1607 Height: Above or below Threaded Welded Surface 2" in. RMP PVC Weight 3 2lbs./ft.					
5 1 Mile1			Τ.	Dia in. to ft. dep	pth Wall Thickness: incl			
5. Type and color of material		From	То	10. Screen: Manufacturer's	name DOERR			
BOPSOIL		/_	10	Type I Ron	METH L. Dia. 16			
Clay					Length			
Sind & GRAVEL		68	110	Gravel pack?	ange of material 14 X	<u> 578"</u>		
shale		//0		11. Static water level: y _50_ft. below land su	nd C 3-2	/day/уг. <i>0-7</i> 7		
BR 110			<u> </u>	12. Pumping level below lan				
700		-		ft. after		g.p.m.		
				Estimated maximum yield — 13. Water sample submitted:		day/yr.		
				Yes No	Date			
				14. Well head completion: Pitless adapter	Inches above g	rade		
				15. Well grouted? 45.5 With: Neat cement	BentoniteC	oncrete J		
	1 6		-	Depth: From ft. to 16. Nearest source of possible		ne 19		
7405 - 50 WT	60'			ft Direction	Туре	_		
2295 DR lin	***	- 1 - 1		Well disinfected upon completed 17. Pump:	Not installed	No P		
		. :		Manufacturer's name Model number	HP Volts			
to the operation.			-	Length of drop pipe	ft. capacity	g.p.m. 🖏 m		
Her cala be using locat	en Awaran			Submersible	Turbine			
not touten Any the use a second	heet if needed)			Jet Centrifugal	Reciproc	\ \sigma_1 \ \sigma_2 \ \cdot \ \sigma_1 \ \cdot \		
18. Elevation: 19. Remarks:	B s	ramad v		20. Water well contractor's This well was drilled under m		report		
Topography: Topogr	+ installed	Well		is true to the best of my know	viedge and balief.	217 = 1		
- Slope Santed and	ped poure	el.		Business name Address Address	in KANSE	No. ≥ No.		
Valley	1 1			Signed Authorized rep	presentative Date	177 z 5		