WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction			Section number		Township number	Range number						
1. Location of well:	Ford	NW 1/4 3	#SE/4 N	TW 1/4	11		т 28 s	R 22 #/₩						
The state of the s						Ford	County Land & Cattle Co.							
						ode:	Ford, Ks. 67842							
4. Locate with "X" in section below: N						6. Bore hole dia. 24 in. Completion date Well depth 82 ft. 9-29-77								
						7Cable tool X_ Rotary Driven Dug								
						Bored Reverse rotary 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Stee Height: Above or below Threaded Welded Y Surface 12 in. RMP PVC Weight Ibs./ft.								
								<u>†</u>						
								1 Mile						Did.6 in. to 82 ft. depth Wall Thickness jaches or Dia in. to ft. depth gage No. • 21
5. Type and color of	material				From			То	10. Screen: Manufacturer's n					
Sandy clay					0	20	Type Millslot	Dia. 16"						
Loose SAnd, gravel					. 20	40	Stot gauze 1/8-2" Length 62 Set between 20 ft. and 82 ft.							
Sand					40	60	Gravel pack? Yes Size ran							
Fine sand, clay					60	80	11. Static water level:	mo./day/yr. face Date <u>8–6–77</u>						
Clav					80	82	12. Pumping level below land	surfaces:						
Olay					00	02	#77 ft. after6_ h	ray arymping,g.p.m.						
MARINE - IMPARAM	and the second				1		Estimated maximum yield 13. Water sample submitted:	g.p.m.						
Minimum value and account account of	The second secon	· / · · · ·				7	Yes X No I	Date						
When the state of							14. Well head completion: Pitless adapter	12 Inches above grade						
The state of the s							15. Well grouted? Yes With: Neat_cement Bentonite XX Concrete							
					ļ		Depth: From ft. to _	10_ ft.						
Control of the property of the second of the	Action was bearing	to the second		* 417 B 4			16. Nearest source of possible ft Direction	344 1						
The second section of the section					1		Well disinfected upon comple	Niet installed						
**					1. v · t		Manufacturer's name Wort	hington "						
							Model number 3S = 12N = 75HP Volts Length of drop pipe ft. capacity 750 g.p.m.							
							Type: Submersible	X Turbine						
	(Use a second s	neet if needed)					Jet Centrifugal	Reciprocating Other						
18. Elevation: 19. Remarks: 20. Water well contractor's certification														
								This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.						
Topography: High Pl						h Pla	Business name License No.							
Slope							Address 402 N 3rd, Garden Chity Ks.							
X Valley							Signed Authorized repr	esentative Date						