

266

WATER WELL RECORD Form WWC-5 KSA 82a-1212

|   |                                  |                      |                           |                        |
|---|----------------------------------|----------------------|---------------------------|------------------------|
| 1 LOCATION OF WATER WELL:<br>COUNTY: FORD | Fraction<br>SE 1/4 SE 1/4 NE 1/4 | Section Number<br>23 | Township Number<br>T 28 S | Range Number<br>R 22 W |
|---|----------------------------------|----------------------|---------------------------|------------------------|

Distance and direction from nearest town or city street address of well if located within city?  
3 MILES NORTHWEST OF BUCKLIN

|   |   |  |
|---|---|--|
| 2 WATER WELL OWNER:<br>RR#, St. Address, Box # :<br>City, State, ZIP code : | IMEL, JIM<br>12993 WILBURN ROAD<br>BUCKLIN, KS 67834- | Board of Agriculture, Division of Water Resources<br>Application Number: |
|---|---|--|

|  |  |     |     |     |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
|--|--|-----|-----|-----|-----|-----|---|---|--|--|--|---|---|--|--|--|--|--|---|--|--|--|--|--|---|--|--|--|--|--|--|--|----|--|----|--|--|
| 3 LOCATE WELL'S LOCATION WITH<br>AN "X" IN SECTION BOX:  | 4 DEPTH OF COMPLETED WELL 170ELEVATION: 0<br>Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft. |     |     |     |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
| <table border="1"><tr><td>1</td><td>---</td><td>NW</td><td>---</td><td>NE</td><td>---</td></tr><tr><td>M</td><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td>i</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>l</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>e</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>SW</td><td></td><td>SE</td><td></td></tr></table> | 1  | --- | NW  | --- | NE  | --- | M | W |  |  |  | E | i |  |  |  |  |  | l |  |  |  |  |  | e |  |  |  |  |  |  |  | SW |  | SE |  | WELL'S STATIC WATER LEVEL 88 ft. below land surface measured on mo/day/yr 01/06/06<br>Pump testdata: Well water was 0 ft. after 0 hours pumping 0 gpm<br>Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm<br>Bore Hole Diameter 8.75 in. to 170 ft., and in. to 0 ft.<br>WELL WATER TO BE USED AS: LIVESTOCK<br>Was a chemical/bacteriological sample submitted to department? No ;<br>If yes, mo/day/yr sample was submitted Water well disinfected? Yes |
| 1  | ---  | NW  | --- | NE  | --- |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
| M  | W  |     |     |     | E   |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
| i  |  |     |     |     |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
| l  |  |     |     |     |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
| e  |  |     |     |     |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |
|  |  | SW  |     | SE  |     |     |   |   |  |  |  |   |   |  |  |  |  |  |   |  |  |  |  |  |   |  |  |  |  |  |  |  |    |  |    |  |  |

|  |                      |
|--|----------------------|
| 5 TYPE OF BLANK CASING USED: PVC<br>Blank casing diameter 5 in. to 150 ft., Dia in. to 0 ft., Dia in. to 0 ft.<br>Casing height above land surface 12 in., weight 0 lbs/ft. Wall thickness or gauge No. 26<br>TYPE OF SCREEN OR PERFORATION MATERIAL: PVC<br>SCREEN OR PERFORATION OPENINGS ARE: SAW CUT | CASING JOINTS: GLUED |
| SCREEN PERFORATED INTERVALS:<br>From 150 ft. to 170 ft., From 0 ft. to 0 ft.<br>From 0 ft. to 0 ft., From 0 ft. to 0 ft.   |                      |
| GRAVEL PACK INTERVALS:<br>From 25 ft. to 170 ft., From 0 ft. to 0 ft.<br>From 0 ft. to 0 ft., From 0 ft. to 0 ft.  |                      |

|  |                     |
|--|---------------------|
| 6 GROUT MATERIAL BENTONITE<br>Grout Intervals: From 4 ft. to 25 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.<br>What is the nearest source of possible contamination: SEPTIC TANK<br>Direction from well? SOUTH | How many feet? 4000 |
|--|---------------------|

| FROM | TO  | LITHOLOGIC LOG  | FROM | TO | PLUGGING INTERVALS |
|------|-----|-----------------|------|----|--------------------|
| 0    | 78  | TAN CLAY        |      |    |                    |
| 78   | 103 | SAND AND GRAVEL |      |    |                    |
| 103  | 105 | TAN CLAY        |      |    |                    |
| 105  | 108 | SAND AND GRAVEL |      |    |                    |
| 108  | 124 | TAN CLAY        |      |    |                    |
| 124  | 170 | SAND AND GRAVEL |      |    |                    |
| 170  | 170 | GRAY SHALE      |      |    |                    |

|   |  |
|---|--|
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 01/06/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 653<br>under the business name of DAN HAYSE WATER WELL SERV | This Water Well Record was completed on (mo/day/yr) 06/28/06<br>by (signature) Dan Hayse |
|---|--|